



BOSCH

POWER TOOLS CATALOGUE 2020



**HEAVY DUTY POWER
AND SAFETY WITHIN REACH**

1st Edition January 2020

Contents

Heavy Duty	P3	Slide Mitre Saw	P20
Freedom Concept	P4 - 5	Cut off Machine	P20
Super Hero 6.0Ah 18V Cordless Sets	P6	Table Saw	P20
3.6 V Li-Ion	P7	Compound Mitre Saw	P20
12 V Li-Ion	P7 - 8	Mitre Saw Stand	P20
14.4 V Li-Ion	P8	Table Saw Stand	P20
18 V Li-Ion	P8 - 11	Planer	P21
36 V Li-Ion	P11	Foam Cutter	P21
12 V Battery Pack	P12	Eccentric Sander	P21
14.4 V Battery Pack	P12	Orbital Sander	P21
18 V Battery Pack	P12	Polisher	P21
ProCore 18 V	P12	Belt Sander	P21
36 V Battery Pack	P12	Blower	P21 - 22
Charger	P12	Hot Air Gun	P22
L-BOXX	P12	Mini Router / Trimmer	P22
12 V / 18 V Starter Kit	P12	Wet & Dry Vacuum Cleaner	P22
Drill	P12, P14	Cordless Optical Scope	P23
Dust Free Solution	P13	Laser Rangefinder	P23
Impact Drill	P14	Detector	P23
Multi-Cutter	P14	Thermo Detector	P23 - 24
Rotary Hammer	P14 - 15	Line Laser	P24
Rotary Hammer with SDS-Max	P15	Point Laser	P24
Magnetic Drill Stand	P15	Electronic Line Laser	P24
Dust Extractor	P15 - 16	Combi Laser	P25
Demolition Hammer	P16	Rotation Laser Level	P25
Straight Grinder	P17	Digital Inclinometer	P25
Angle Grinder	P17 - 18	Angle Measurer	P25
Impact Wrench	P18	Tripod	P25
Stirrer / Mixer Drill	P18	Measuring Rail	P26
Shear	P18	Telescopic Pole	P26
Bench Grinder	P19	Laser Receiver	P26
Marble Cutter	P19	Rotation Mount	P26
Circular Saw	P19	Universal Holder	P26
Nibbler	P19	High Pressure Washer (Suitable for Home Use)	P27
Sabre Saw	P19	High Pressure Cleaner (Suitable for Industrial Use)	P27
Reciprocating Saw	P19	Bosch 110V Power Tools	P28
Diamond Wheel Cutter	P19	Carbon Brush Guidelines	P29
Dry Cutter	P19	Warranty	P30
Jigsaw	P20		



BOSCH

All tools comes with **Full Warranty**!

**HEAVY
DUTY**

**1 year
warranty**

Includes Wear & Tear Parts! **FREE** Repair Costs!!

Bosch Heavy Duty Power Tools are entitled to **1 year Full Warranty**, excluding batteries and chargers which are entitled to 6 months warranty. Full Warranty is exclusively **available at Powerwell Service Centre only**.

Bosch reserves the right to amend the terms & conditions or withdraw the promotion at its sole discretion without prior notice.

CORDLESS HEAVY DUTY MODELS

GAS 12 V-LI (Bare Unit Only)	GDX 18 V-LI (Bare Unit Only)	GSR 12-2-LI
GAS 18 V-1 (Bare Unit Only)	GGG 18 V-LI (Bare Unit Only)	GSR 12-15 FC
GAS 18 V-10 L (Bare Unit Only)	GKM 18 V-LI (Bare Unit Only)	GSR 14.4-2-LI
GBH 36 V-LI Plus	GKS 12 V-LI (Bare Unit Only)	GSR 18 V-EC
GBH 36 V-EC Compact	GKS 18 V-LI (Bare Unit Only)	GSR 18 V 50
GBH 18 V-EC	GOP 18 V-28 (Bare Unit Only)	GSR 36 VE-2-LI
GBH 18 V-26 (Bare Unit Only)	GSA 12 V-LI (Bare Unit Only)	GSS 18 V-LI (Bare Unit Only)
GBH 18 V-26 + GDE 18 V-16	GSA 18 V-32 (Bare Unit Only)	GST 12 V-LI (Bare Unit Only)
GBL 18 V-120 (Bare Unit Only)	GSA 36 V-LI	GST 18 V-LI (Bare Unit Only)
GCB 18 V-LI (Bare Unit Only)	GSB 12 V-30	GUS 12 V-LI
GDR 12 V-EC	GSB 18 V-EC (Bare Unit Only)	GWS 12-76 V-EC (Bare Unit Only)
GDR 12-LI	GSB 18-2-LI	GWS 18 V-LI (Bare Unit Only)
GDS 18 V-EC	GSB 18 V 50	GWS 18 V-10
GDS 18 V-LI HT	GSR 12 V-30	
GDX 18 V-EC	GSR 12 V-EC	

CORDED HEAVY DUTY MODELS

GAS 12-125 L	GCM 10 S	GSH 11 VC
GAS 15 / 15 PS	GCO 14-24 J (Soft Start)	GSH 16-30
GBG 35-15	GCO 2000 (Only available in 110V)	GSH 27 VC
GBG 60-20	GDM 13-34 (Also available in 110V)	GSH 5 (SDS MAX)
GBH 2-23 REA	GDS 18 E (Also available in 110V)	GSH 5 CE
GBH 2-24 RE / DRE	GDS 30	GSH 9 VC
GBH 2-26 DFR	GEX 125-1 AE	GSS 280 AE
GBH 2-26 DRE	GGG 28 C	GSS 280 AVE (Indent)
GBH 2-26 RE (Also available in 110V)	GGG 28 LC (Also available in 110V)	GST 25 M (Also available in 110V)
GBH 2-28 DFV	GGG 6 S	GST 80 PBE
GBH 3-28 DFR	GHO 10-82 (Also available in 110V)	GTS 10 J
GBH 4-32 DFR	GHG 18-60	GWS 750-100
GBH 5-40 D (Also available in 110V)	GHG 20-63 Kit	GWS 9-100 P
GBH 8-45 D (Also available in 110V)	GMR 1	GWS 900-100
GBL 800 E (Also available in 110V)	GNA 2.0	GWS 900-100 S
GBL 82-270	GPO 12 CE	GWS 11-125 P
GBM 10 RE	GOP 30-28	GWS 12-125 CI (Only available in 110V)
GBM 13 HRE 'High Torque'	GRW 12 E	GWS 13-125 CI
GBM 13 RE	GSA 1100 E (Also available in 110V)	GWS 14-125
GBM 16-2 RE	GSA 120	GWS 17-125 CI
GBM 23-2 E	GSB 13 RE	GWS 17-150 CI
GBM 32-4	GSB 16 RE (Also available in 110V)	GWS 18-125 L
GBS 75 A	GSB 20-2 RE	GWS 18-150 L
GBM 50-2	GSB 21-2 RCT	GWS 20-180 (Also available in 110V)
GCD 12 JL	GSC 2.8	GWS 20-230
GCM 10 MX	GSG 300	
GCM 12 GDL	GSH 11 E	

* Bosch Heavy Duty Power Tools are entitled to 1-year warranty, except for hot air guns, batteries and chargers which are entitled to 6-months warranty.





The Freedom Concept

The freedom concept provides the freedom to choose cordless tools, batteries, chargers, and carrying cases exactly according to your needs. You are now free to choose.



Bosch Lithium-Ion Cordless Tools Range


3,6 Volt	
pocketseries	
 <p>GSR ProDrive</p> <p>The World's smallest professional screwdriver</p>	 <p>Bosch Go 2</p> <p>Ready as ever. Better than ever</p>

12 Volt		
compactseries		
 <p>GSR 120-LI</p>	 <p>GKS 12 V-LI</p>	 <p>GOP 12 V-28</p>
 <p>GST 12 V-LI</p>	 <p>GAS 12 V-LI</p>	 <p>GDR 12-LI</p>
 <p>GSB 120</p>	 <p>GDR 12 V-EC</p>	 <p>GSA 12 V-LI</p>
 <p>GSR 12 V-30</p>	 <p>GSR 12 V-EC</p>	

Battery Pack
Charger
Starter Kit
L-BOXX

 <p>12V, 2.0 Ah</p>	 <p>12V, 2.5 Ah</p>
 <p>GAL 1240 (For 10.8V & 12V)</p>	
 <p>12V 1.5 Ah (2 Batteries) + GAL 1240 (1 Charger)</p>	
 <p>L-BOXX 102</p>	


INNOVATIVE BOSCH CORDLESS TECHNOLOGY



Kick Back Stop detects sudden movements and stop tool rotation



ETP protects your tool from Rain & Dust




CHOOSE YOUR OWN COMBINATION



BARE TOOLS



BATTERIES



CHARGERS



L-BOXX

18 Volt	
lightseries	robustseries
	<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> GDS 18 V-LI HT </div> <div style="text-align: center;"> GDX 18 V-LI </div> <div style="text-align: center;"> GDS 18 V-LI Set </div> </div>
	<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> GSB 18 V-EC </div> <div style="text-align: center;"> GSR 18 V-EC </div> <div style="text-align: center;"> GBH 18 V-EC Set </div> </div>
	<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> GWS 18 V-LI </div> <div style="text-align: center;"> GGS 18 V-LI </div> <div style="text-align: center;"> GSS 18 V-LI </div> </div>
	<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> GKS 18 V-LI </div> <div style="text-align: center;"> GST 18 V-LI </div> <div style="text-align: center;"> GAS 18 V-1 LI </div> </div>
Extremely lightweight	Extremely robust

36 Volt
superseries
As powerful as corded

2.0 Ah	4.0 Ah	6.0 Ah	
AL 1860 CV			
AL 1840 CV + 2 Batteries (2.0 Ah 18V)	AL 1840 CV + 2 Batteries (4.0 Ah 18V)	GAL 1830 CV + 1 Battery (2.0 Ah 18V)	
L-BOXX 102	L-BOXX 136	L-BOXX 238	L-BOXX 374


2.0 Ah	6.0 Ah
AL 3680 CV	



EMP protects the motor against overload and automatically shuts it down in case of stalling



2 X Lifetime
up to 30% more runtime



ECP prevents your battery from deep discharge, overheating, overload



	EC Brushless Motor No brush sparking due to electrical switch by electronics
	DC Motor Brush sparking at every mechanical switch operation





BOSCH

Super Hero 6.0Ah 18V Cordless Sets

18
V

COOLPACK

ELECTRONIC CELL
PROTECTION

2x
6,0 Ah

Comes with:
2 pcs 6.0Ah
Battery, Charger
& L-BOXX



powered by
Li-Ion
technology

HEAVY
DUTY
1 year
warranty



EC
BRUSHLESS
MOTOR

GSB 18 V-EC

Part No: 0 615 A00 0D4

HEAVY
DUTY
1 year
warranty



GWS 18 V-LI

Part No: 0 615 A00 0D8

HEAVY
DUTY
1 year
warranty



GKS 18 V-LI

Part No: 0 615 A00 0DA

HEAVY
DUTY
1 year
warranty



EC
BRUSHLESS
MOTOR

GDS 18 V-EC 300 ABR

Part No: 0 615 A00 0D6

HEAVY
DUTY
1 year
warranty



EC
BRUSHLESS
MOTOR

GOP 18 V-28

Part No: 0 615 A00 0DB

HEAVY
DUTY
1 year
warranty



EC
BRUSHLESS
MOTOR

GSR 18 V-EC

Part No: 0 615 A00 0D5

HEAVY
DUTY
1 year
warranty



GST 18 V-LI

Part No: 0 615 A00 0D9

HEAVY
DUTY
1 year
warranty



EC
BRUSHLESS
MOTOR

GDX 18 V-EC

Part No: 0 615 A00 0D7

HEAVY
DUTY
1 year
warranty



GGG 18 V-LI

Part No: 0 615 A00 0DC

A new dimension of power

It's in your hands. Bosch Professional.

Pro **CORE** 18V

8.0Ah

Pro **CORE** 18V

4.0Ah

Pro **CORE** 18V

12.0Ah

+87%
more power¹

Thanks to the latest cell technology and intelligent battery management.

+135%
longer lifetime²

COOLPACK 2.0 technology prevents the battery from overheating.

100%
compatible

Fits all Bosch Professional 18V power tools and chargers – both existing and new.

ProCORE18V 4.0Ah

All the power of a standard battery - not its weight.

ProCORE18V 8.0Ah

The perfect balance between weight and power - with up to 1,600W corded power.

ProCORE18V 12.0Ah

Maximum performance and runtime.

When other batteries cannot handle the heat and switch off, ProCORE18V powers through.



+30%

Removes more material in 2 minutes.



+70%

More holes per charge.



+151%

More holes per charge.

3.6 V Li-Ion

GSR 3,6 V-LI BitDrive Cordless Screwdriver



Capacity

Max. Screw Dia.	: 5 mm
Max. Torque	: 4.5 Nm
No-load Speed	: 210 rpm
Battery Voltage	: 3.6 V / 1.5 Ah
Charging Time	: 4 hours
Weight	: 0.5 kg

GSR 3.6 V-LI ProDrive Cordless Screwdriver



Capacity

Max. Screw Dia.	: 5 mm
Max. Torque	: 7 Nm
No-load Speed	: 0 - 250 rpm
Battery Voltage	: 3.6 V / 1.3 Ah
Weight	: 0.5 kg

Bosch GO 2 Cordless Screwdriver



NEW!



Capacity

No-load Speed	: 360 rpm
Torque (Hard / Soft)	: 5 / 2.5 Nm
Max. Screw Diameter	: 5 mm
Electronic Brake	: Yes
Tool Holder	: 1/4" Inter HEX
Smart Stop	: Yes
Charging Port	: Micro USB
Battery Voltage	: 3.6 V / 1.5 Ah
Weight	: 0.31 kg

Bosch GO 2 Kit (included Cable, 33x Bits Cordless Screwdriver)



12 V Li-Ion

GSB 120-LI Cordless Impact Drill Driver




Capacity

Drilling Dia. In Steel	: 6 mm
In Wood	: 19 mm
In Masonry	: 8 mm
Max. Torque (Hard / Soft joint)	: 28 / 11 Nm
Max. Screw Dia.	: 7 mm
No-load Speed	: 0 - 400 / 1,300 rpm
Battery Voltage	: 12 V / 1.5 Ah
Weight	: 1.1 kg

Spare Parts

Switch	2 609 125 169
Chuck	2 609 111 312
Gear Box	1 600 A00 DM7
Motor	2 609 199 258

GSR 120-LI Cordless Drill / Screwdriver



Capacity

Drilling Dia. In Steel	: 10 mm
In Wood	: 20 mm
Max. Torque (Hard / Soft joint)	: 30 / 13 Nm
Max. Screw Dia.	: 7 mm
No-load Speed	: 0 - 380 / 1,300 rpm
Battery Voltage	: 12 V / 1.5 Ah
Weight	: 1.0 kg

Spare Parts

Switch	2 609 125 169
Motor	2 609 199 258
Chuck	2 609 111 312
Gear Box	2 609 199 786

GKS 12 V-LI (Bare Unit Only) Cordless Circular Saw



1 year warranty



Capacity

No-load Speed	: 1,400 rpm
Depth of Cut - 90°	: 26.5 mm
Bore Diameter	: 15 mm
Max. Bevel	: 45°
Weight	: 1.4 kg

Spare Parts

Suction Nozzle	1 619 P11 537
Parallel-Guide	1 619 P11 536

GOP 12 V-28 (Bare Unit Only) Cordless Multi-Cutter



1 year warranty



Capacity

Oscillation angle on left / right	: 1.4°
No-load Speed	: 5,000 - 20,000 rpm
Battery Voltage	: 12 V / 2.0 Ah
Weight	: 1.0 kg

Spare Parts

Screw	2 609 110 797
Motor	2 609 199 180

GWS 12-76 V-EC (Bare Unit Only) Cordless Angle Grinder



1 year warranty



Capacity

No-load Speed	: 19,500 rpm
Battery Voltage	: 12 V
Grinding Spindle Thread	: M5
Bore Size, Diameter	: 10 mm
Weight	: 0.9 kg

GST 12 V-LI (Bare Unit Only) Cordless Jigsaw



1 year warranty



Capacity

No-load Stroke Rate	: 1,500 - 2,800 spm
Stroke Length	: 18 mm
Cutting Capacity:	
- in Wood	: 70 mm
- in Aluminium	: 3 mm
- in Non-alloy Steel	: 3 mm
Weight	: 1.5 kg

Spare Parts

Motor	1 619 D10 586
Nozzle	1 619 P10 585

GAS 12 V-LI (Bare Unit Only) Cordless Vacuum Cleaner



1 year warranty



Capacity

Filter Surface	: 408 cm ²
Max. Airflow	: 12 l/sec
Max. Ventilating Pressure	: 45 mbar
Battery Voltage	: 12 V
Weight	: 0.9 kg

Spare Parts

Filter	1 600 A00 2PS
Nozzle	1 600 A00 2PP

GDR 120-LI Cordless Impact Driver



Capacity

Max. Torque	: 100 Nm
No-load Speed	: 0 - 1,300 / 2,600 rpm
Rated Impact Rate	: 2,800 - 3,300 bpm
Bit Holder	: 1/4" internal hexagon
Battery Voltage	: 12 V / 1.5 Ah
Weight	: 1.05 kg

12 V Li-Ion

GDR 12-LI Cordless Impact Driver

HEAVY DUTY
1 year warranty



Capacity

Tool Holder System	: 1/4" Hex (6.35mm)
No-load Speed	: 0 - 2,600 rpm
Impact Rate	: 0 - 3,100 bpm
Max. Torque	: 105 Nm
Voltage	: 12 V / 2.0 Ah
Weight	: 0.96 kg

Spare Parts

Motor	2 609 199 281
Electronic Module	1 607 233 5DD

GDR 12 V-EC Cordless Impact Driver

HEAVY DUTY
1 year warranty



Capacity

Tool Holder System	: 1/4" Hex (6.35 mm)
No-load Speed	: 0 - 1,200 / 2,600 rpm
Impact Rate	: 0 - 2,700 / 3,100 bpm
Max. Torque	: 110 Nm
Battery Voltage	: 12 V / 2.0 Ah
Weight	: 0.95 kg

Spare Parts

Electronic Module	1 607 233 581
Brushless DC Motor	2 609 199 661

GSA 12 V-LI (Bare Unit Only) Cordless Sabre Saw

HEAVY DUTY
1 year warranty



Capacity


Stroke Speed	: 0 - 3,000 min
Stroke Length	: 14.5 mm
Pipe Diameter	: 50 mm
Wood	: 65 mm
Weight	: 1.2 kg

Spare Parts

Motor	1 619 P08 652
Electronic Module	1 619 P08 618

GSR 12-2-LI Cordless Drill / Screwdriver

HEAVY DUTY
1 year warranty



Capacity

Drilling Dia. In Steel	: 10 mm
In Wood	: 19 mm
Max. Torque	: 30 Nm
No-load Speed	: 0 - 350 / 1,300 rpm
Battery Voltage	: 12 V / 2.0 Ah
Weight	: 0.95 kg

Spare Parts

Motor	2 609 199 258
Electronic Module	1 607 233 485
Gear Box	2 609 199 786
Chuck	2 609 111 312

GSR 12 V-EC Cordless Drill / Screwdriver

HEAVY DUTY
1 year warranty



Capacity

Drilling Dia.: In Steel	: 10 mm
In Wood	: 25 mm
Max. Torque (hard/soft)	: 20 / 18 Nm
No-load Speed	: 0 - 400 / 1,300 rpm
Battery Voltage	: 12 V / 2.0 Ah
Chuck Capacity	: 10 mm
Weight	: 0.9 kg

Spare Parts

Electronic Module	1 607 233 568
Motor	2 609 199 654
Chuck	2 609 111 562

GSR 12V-30 Cordless Drill / Driver

HEAVY DUTY
1 year warranty



Capacity

No-load Speed	: 0 - 420 / 1,600 rpm
Torque (Hard / Soft)	: 17 / 30 Nm
Drilling in Wood / Steel	: 20 / 8 mm
Battery Voltage	: 12 V / 2.0 Ah
Weight	: 0.82 kg

Spare Parts

Electronic Module	1 607 233 568
Motor	2 609 199 654
Chuck	2 609 111 562

GSB 12V-30 Cordless Impact Drill

HEAVY DUTY
1 year warranty



Capacity

No-load Speed	: 0 - 420 / 1,600 rpm
Torque (Hard / Soft)	: 17 / 30 Nm
Drilling in Wood / Steel	: 20 / 8 mm
Battery Voltage	: 12 V / 2.0 Ah
Weight	: 0.82 kg

Spare Parts

Motor	1 619 P08 652
Electronic Module	1 619 P08 618

GUS 12V-LI (Bare Unit Only) Cordless Universal Shear

HEAVY DUTY
1 year warranty



Capacity

No-load Stroke Rate	: 700 spm
Charging Time	: 45 mins
Weight	: 1.0 kg

Spare Parts

Upper Blade	1 619 PA2 338
DC Motor	1 607 000 751

14.4 V Li-Ion

GSR 12-15 FC Cordless Drill / Driver

HEAVY DUTY
1 year warranty



Capacity

Drilling Dia.: In Steel	: 10 mm
In Wood	: 19 mm
Max. Torque (hard/soft)	: 30 / 15 Nm
No-load Speed	: 0 - 400 / 1,300 rpm
Battery Voltage	: 12 V / 2.0 Ah
Chuck Capacity	: 10 mm
Weight	: 0.6 kg

GDR 1440-LI Cordless Impact Driver

6 months Warranty



Capacity

Tool Holder System	: 1/4" Hex (6.35 mm)
No-load Speed	: 0 - 2,900 rpm
Impact Rate	: 0 - 3,200 bpm
Max. Torque	: 130 Nm
Battery Voltage	: 14.4 V / 1.5 Ah
Weight	: 1.2 kg

Spare Parts

Motor	2 609 199 419
Coupling Half	2 609 199 319

GSR 14.4-2-LI Cordless Drill / Screwdriver

HEAVY DUTY
1 year warranty



Capacity

Drilling Dia.: In Steel	: 10 mm
In Wood	: 25 mm
Max. Torque (Hard / Soft joint)	: 38 / 16 Nm
No-load Speed	: 0 - 400 / 1,250 rpm
Battery Voltage	: 14.4 V / 2.0 Ah
Weight	: 1.3 kg


Spare Parts

Motor	2 609 199 591
Electronic Module	1 607 233 543
Gear Box	2 609 199 786
Chuck	2 609 111 562

18 V Li-Ion

GSR 180-LI Cordless Drill / Driver

6 months Warranty



Capacity

Battery Voltage	: 18 V / 1.5 Ah
Chuck Capacity	: 13 mm
No-load Speed (1st gear)	: 0 - 450 rpm
(2nd gear)	: 0 - 1,700 rpm
Torque Settings	: 20+1
Max Screw Dia.	: 10 mm
Max Drilling Wood / Steel	: 35 / 10 mm
Weight	: 1.0 kg

Spare Parts


Carbon Brush	1 607 000 CZ1
Motor	1 607 022 66N

Note: Items marked '#' are also available in **Bare Unit** (without battery and charger)

18 V Li-Ion

GDS 18 V-EC Cordless Impact Driver

HEAVY DUTY
1 year warranty



Capacity

Torque Max.	: 185 Nm
No-load Speed	: 0 - 2,800 rpm
Impact Rate	: 0 - 3,200 bpm
Screw Diameter	: M6 - M16
Toolholder	: 1/2" External Square
Battery Voltage	: 18 V / 4.0 Ah
Weight	: 1.6 kg

Spare Parts

Motor	2 609 199 548
Electronic Module	1 607 233 470

GDS 18 V-LI HT Cordless Impact Wrench

HEAVY DUTY
1 year warranty



Capacity

Torque Max.	: 650 Nm
No-load Speed	: 0 - 1,900 rpm
Impact Rate	: 0 - 2,100 bpm
Screw Diameter	: M12 - M20
Toolholder	: 1/2" External Square
Battery Voltage	: 18 V / 5.0 Ah
Weight	: 3.0 kg

Spare Parts

Motor	2 610 943 875
Coupling Half	2 610 943 880
Electronic Module	2 610 016 810

GDX 180-LI Cordless Impact Wrench/Driver

6 months Warranty



Capacity

Tool Holder	: Hex & Square
No-load Speed	: 0 - 2,800 rpm
Impact Rate	: 0 - 3,600 bpm
Max. Torque	: 180 Nm
Screw Diameter	: M6 - M16
Battery Voltage	: 18 V / 2.0 Ah
Weight	: 1.45 kg

GDX 18 V-LI (Bare Unit Only) Cordless Impact Wrench/Driver

HEAVY DUTY
1 year warranty



Capacity


Tool Holder	: Hex & Square
No-load Speed	: 0 - 2,800 rpm
Impact Rate	: 0 - 3,200 bpm
Max. Torque	: 160 / 180 Nm
Weight	: 1.6 / 1.8 kg

Spare Parts

Carbon Brush	2 609 199 169
Motor	2 609 199 508
Electronic Module	1 607 233 480

GDX 18 V-EC Cordless Impact Wrench Driver

HEAVY DUTY
1 year warranty



Capacity

Tool Holder	: Hex & Square
No-load Speed	: 0-2,800 rpm
Impact Rate	: 0-3,200 bpm
Max. Torque	: 185 Nm
Battery Voltage	: 18 V / 6.0 Ah
Weight	: 1.7 kg

Spare Parts

Motor	2 609 199 548
Electronic Module	1 607 233 470

GKM 18 V-LI (Bare Unit Only) Cordless Metal Circular Saw

HEAVY DUTY
1 year warranty



Capacity

Blade Diameter	: 136 mm
Cutting depth (90°)	: 51 mm
Saw Blade Bore Dia.	: 20 mm
No-load Speed	: 4,250 rpm
Weight	: 2.9 kg

Spare Parts

Motor	2 610 034 087
Electronic Assembly	2 610 029 995

GKS 18 V-LI (Bare Unit Only) Cordless Circular Saw

HEAVY DUTY
1 year warranty



Capacity

Blade Diameter	: 165 mm
Max. Cutting Capacities at 90°:	51 mm
45°:	40 mm
Saw Blade Bore Dia.	: 20mm
No-load Speed	: 3,900 rpm
Weight	: 4.1 kg

Spare Parts

Pole Housing	1 615 100 009
Armature	1 619 P01 902
Carbon Brush	2 610 943 623

GOP 18 V-28 (Bare Unit Only) Cordless Multi-Cutter

HEAVY DUTY
1 year warranty



Capacity

Oscillation Angle	
Left / Right	: 1,4°
No-load Speed	: 8,000 - 20,000 rpm
Weight	: 2.0 kg

GSA 18 V-32 (Bare Unit Only) Cordless Sabre Saw

HEAVY DUTY
1 year warranty



Capacity

Cutting Depth: In Metal	: 175 mm
In Wood	: 230 mm
No-load Stroke Rate	: 0 / 2,500 min ⁻¹
Orbital Action	: 0 - 1 - 2
Stroke length	: 32 mm
Weight	: 3.5 kg
Battery Voltage	: 18 V

GSB 180-LI Cordless Impact Drill

6 months Warranty



Capacity


Max Drilling Masonry	: 10 mm
Max Screw Diameter	: 10 mm
Max Drilling Steel / Wood	: 10 mm / 35 mm
Chuck Capacity	: 13 mm
Torque (Hard / Soft)	: 54 / 21 Nm
No-load Speed (1st gear)	: 0 - 450 rpm
(2nd gear)	: 0 - 1,700 rpm
Battery Voltage	: 18 V / 1.5 Ah
Weight	: 1.6 kg

Spare Parts

Carbon Brush	1 607 000 CZ1
Motor	1 607 022 66N

GSB 18-2-LI Cordless Impact Drill

HEAVY DUTY
1 year warranty



Capacity

Drilling Dia.: In Steel	: 10 mm
In Wood	: 29 mm
In Masonry	: 10 mm
Max. Torque (Hard / Soft joint):	45 / 19 Nm
No-load Speed	: 0 - 500 / 1,450 rpm
Battery Voltage	: 18 V / 2.0 Ah
Weight	: 1.5 kg

Spare Parts

Motor	2 609 199 626
Electronic Module	1 607 233 544
Chuck	2 609 111 312

GSB 18 V-EC (Bare Unit Only) Cordless Impact Drill / Driver

HEAVY DUTY
1 year warranty



Capacity

Drilling Dia. In Steel / Wood	: 13 / 38 mm
In Masonry	: 13 mm
Max. Torque (hard/Soft)	: 50 / 31 Nm
No-load Speed	: 0 - 600 / 1,900 rpm
Chuck Capacity	: 13 mm
Torque Settings	: 20+1
Max. Impact Rate	: 25,500 bpm
Weight	: 1.5 kg

Spare Parts


Stator	1 619 P08 583
Rotor	2 609 199 671

18 V Li-Ion

GSB 18V-50 (Bare Unit Only) Cordless Impact Drill

HEAVY DUTY
1 year warranty

NEW!



Capacity

Drilling Dia. In Steel	: 13 mm
In Wood	: 35 mm
Max. Torque (Hard / Soft joint)	: 50 / 28 Nm
No-load Speed	: 0 - 460 / 0 - 1,800 rpm
Max. screw Ø	: 10 mm
Battery Voltage	: 18 V / 5.0 Ah

GSB 18V-50 Set Cordless Impact Drill


NEW!



GSR 18V-50 (Bare Unit Only) Cordless Drill / Driver

HEAVY DUTY
1 year warranty

NEW!



Capacity

Drilling Dia. In Steel	: 13 mm
In Wood	: 35 mm
In Masonry	: 13 mm
Max. Torque (Hard / Soft joint)	: 50 / 28 Nm
No-load Speed	: 0-460 / 0-1,800 rpm
Max. screw Ø	: 10 mm
Battery Voltage	: 18 V / 5.0 Ah

GSR 18V-50 Set Cordless Drill / Driver

NEW!



GSR 18 V-EC Cordless Drill / Driver

HEAVY DUTY
1 year warranty



Capacity

Drilling Dia. In Steel	: 13 mm
In Wood	: 38 mm
Max. Torque (Hard / Soft joint)	: 60 / 31 Nm
Chuck Capacity	: 13 mm
No-load Speed	: 0 - 600 / 1,900 rpm
Torque Settings	: 20+1
Battery Voltage	: 18 V / 2.0 Ah

Spare Parts

Stator	1 619 P08 583
Rotor	2 609 199 671

GSS 18 V-LI (Bare Unit Only) Orbital Sander

HEAVY DUTY
1 year warranty



Capacity


Stroke Length	: 28 mm
No-load Orbital Stroke Rate	: 22,000 opm
No-load Speed	: 11,000 rpm
Oscillating circuit Diameter	: 1.6 mm
Weight	: 1.0 kg

Spare Parts

Plate	2 609 101 073
Felt	2 609 170 230
Spring	2 609 111 892

GST 18 V-LI (Bare Unit Only) Cordless Jigsaw

HEAVY DUTY
1 year warranty



Capacity


No-load Stroke Rate	: 2700 spm
Stroke Height	: 23 mm
Cutting Depth In Metal	: 8 mm
In Wood	: 90 mm
Slanted Cuts	: 0 - 45°
Weight Incl. Battery	: 2.4 kg

Spare Parts

Lifting Rod	2 600 780 173
Base Plate	2 601 016 906
Roller Level	2 601 321 077

GWS 18 V-LI (Bare Unit Only) Cordless Angle Grinder

HEAVY DUTY
1 year warranty



Capacity

No-load Speed	: 10,000 rpm
Roughing / Cutting Disc,	
Diameter	: 100 mm
Battery Voltage	: 18 V / 3.0 Ah
Weight	: 2.3 kg

Spare Parts

Motor	1 617 000 6B0
Electronic Module	1 607 233 340
Switch	2 607 202 071

GWS 18V-10 (Bare Unit Only) Cordless Angle Grinder

HEAVY DUTY
1 year warranty

NEW!



Capacity

Max. Output Power	: Equivalent to 1000 W
Disc-Ø	: 100 (M10)mm
No-load Speed	: 9,000 rpm
Grip Circumference	: 155 mm
Battery Voltage	: 18 V / 8.0Ah ProCORE
Weight Without Battery	: 2.0 kg

GWS 18V-10 Set Cordless Angle Grinder

NEW!



GGG 18 V-LI (Bare Unit Only) Cordless Straight Grinder

HEAVY DUTY
1 year warranty



Capacity

No-load Speed	: 2 - 22,000 rpm
Weight	: 1.8 kg

Spare Parts

Motor	1 617 000 6B0
Electronic Module	1 607 233 340

GAS 18 V-1 (Bare Unit Only) Cordless Vacuum Cleaner

HEAVY DUTY
1 year warranty



Capacity

Container Vol.	: 700 ml
Max. Underpressure	: 6 kPa
Max. Airflow	: 10 l/sec
Speeds	: 1 Speed
Runtime	: 7 min/Ah
Weight (w/o batt, w/o AC)	: 1.3 kg

18 V Li-Ion

GAS 18 V-10 L (Bare Unit Only) Cordless Vacuum Cleaner

HEAVY DUTY
1 year warranty



Capacity

Container (gross / Net)	: 10 / 6 Litre
Max. Underpressure	: 9 kPa
Max. Airflow	: 24 l/sec
Filter Surface Area	: 2.375 cm ²
Runtime	: 4 min/Ah
Weight (w/o batt, w/o AC)	: 4.7 kg

Wet / Dry Usage

GBL 18 V-120 (Bare Unit Only) Blower

HEAVY DUTY
1 year warranty



Capacity

No-load Speed	: 17,000 rpm
Air Speed, Max	: 75 m/s
Air Volume	: 2.0 m ³ /min
Runtime	: Speed I: 9 min / Ah
	: Speed II: 5 min / Ah
Weight without Cable	: 1.1 kg

Spare Parts

Nozzle	1 619 PA9 087
--------	---------------

GCB 18 V-LI (Bare Unit Only) Cordless Band Saw

HEAVY DUTY
1 year warranty



Capacity

No-load Speed	: 162 m/min
Saw Blade Diameter	: 733 x 12,7 x 0.5 mm
Max. Cutting Depth	: 63,5 mm
Weight	: 3.8 kg

GBH 18 V-EC Cordless Rotary Hammer

HEAVY DUTY
1 year warranty



Capacity

In Concrete	: 4 - 18 mm
In Steel / Wood	: 13 / 20 mm
Rated Speed	: 0 - 1,400 rpm
Impact Rate	: 0 - 4,550 bpm
Battery Voltage	: 18 V / 3.0 Ah
Weight	: 2.6 kg

Spare Parts

Protection Sleeve	1 617 000 6D3
Electronics Module	1 607 233 376
Hammer Piston	1 618 700 083
O-ring	1 610 210 244

GBH 18 V-26 (Bare Unit Only) Cordless Rotary Hammer

HEAVY DUTY
1 year warranty



Capacity

In Concrete	: 4 - 26 mm
In Steel / Wood	: 13 mm / 30 mm
Rated Speed	: 0 - 890 rpm
Impact Rate	: 0 - 4,350 bpm
Impact Energy	: 2,6 J
Max. Drilling Ø Concrete	: 26 mm
Weight	: 3.6 kg**

GBH 18 V-26 + GDE 18 V-16 Cordless Rotary Hammer + Dust Extractor

HEAVY DUTY
1 year warranty



Capacity

In Concrete	: 4 - 26 mm
In Steel / Wood	: 13 mm / 30 mm
Rated Speed	: 0 - 890 rpm
Impact Rate	: 0 - 4,350 bpm
Impact Energy	: 2,6 J
Max. Drilling Ø Concrete	: 26 mm
Battery Voltage	: 18 V / 6.0 Ah
Weight	: 3.6 kg**

GBH 180-LI Set Cordless Rotary Hammer

**6 Months
Warranty**



Capacity

Drilling Capacity	: 20 mm
No-load Speed	: 0 - 1,800 rpm
Impact Rate	: 0 - 4,550 bpm
Impact Energy	: 1.7 J
Mode	: 3
Battery Voltage	: 18 V / 4.0 Ah
Weight (bare tool)	: 2.6 kg

Spare Parts

Electronics Module	1 600 A00 F9H
Jack Shaft	1 619 P14 347
Armature	1 619 P14 346
Hammer Piston	1 618 700 083
O-ring	1 610 210 244

GBH 180-LI (Brushless) Dust Cap Execution Cordless Rotary Hammer



Capacity

Drilling Capacity (on concrete)	: 20 mm
No-load Speed	: 0 - 1,800 rpm
Impact Rate	: 0 - 5,100 bpm
Impact Energy	: 2.0 J
Mode	: 3
Battery Voltage	: 18 V / 4.0 Ah
Weight (bare tool)	: 2.3 kg

36 V Li-Ion

*GSR 36 VE-2-LI Cordless Drill Driver

HEAVY DUTY
1 year warranty



Capacity

Max. Drilling Dia. In Wood	: 102 mm
In Steel	: 16 mm
Torque, Max (Hard/Soft)	: 100 Nm
No-load Speed	: 0 - 420 / 1,800 rpm
Max. Screw Diameter	: 12 mm
Battery Voltage	: 36 V / 4.0 Ah
Weight	: 3.3 kg

Spare Parts

Motor	1 607 022 647
Electronics Module	1 607 233 511
Chuck	2 609 111 104

*GSA 36 V-LI Cordless Sabre Saw

HEAVY DUTY
1 year warranty



Capacity

Stroke Length	: 28 mm
No-load Stroke Rate	: 2,400 / 3,000 spm
Battery Voltage	: 36 V / 2.6 Ah
Weight	: 4.2 kg

Spare Parts

Tool Holder	2 610 920 684
Supporting Foot	2 610 935 005

GBH 36 V-LI Plus Cordless Rotary Hammer

HEAVY DUTY
1 year warranty



Capacity

In Concrete	: 4 - 28 mm
In Steel / Wood	: 13 / 30 mm
No-load Speed	: 0 - 940 rpm
Impact Rate	: 0 - 4,200 bpm
Battery Voltage	: 36 V / 4.0 Ah
Weight	: 4.5 kg

Spare Parts

Motor	1 607 022 662
Electronics Module	1 600 A01 1GZ
Tool Holder Fixture	1 617 000 6CB

GBH 36 V-EC Compact Cordless Rotary Hammer

HEAVY DUTY
1 year warranty



Capacity

In Concrete	: 4 - 18 mm
In Steel	: 13 mm
In Wood	: 30 mm
Rated Speed	: 0 - 1,500 rpm
Impact Rate	: 0 - 4,850 bpm
Battery Voltage	: 36 V / 2.0 Ah
Weight	: 2.9 kg

Spare Parts

Protection Sleeve	1 617 000 6D3
Electronics Module	1 607 233 316
Hammer Piston	1 618 700 083
O-ring	1 610 210 244
Jack Shaft	1 617 000 668

12 V Battery Pack



12 V, 2.0 Ah



12 V, 2.5 Ah

18 V Battery Pack



2.0 Ah



4.0 Ah



6.0 Ah

ProCore 18 V



4.0 Ah



8.0 Ah



12.0 Ah

36 V Battery Pack



2.0 Ah



6.0 Ah

Charger



GAL 1240 CV
(For 10.8 V & 12 V)



GAL 1830 W
+ Frame (UK)



GAL 18V-40
(For 10.8 V to 18 V)



GAL 3680 CV
(For 14.4 V to 36 V)

L-BOXX



L-BOXX 102



L-BOXX 136



L-BOXX 238



L-BOXX 374

12V / 18V Starter Kit



12 V 2.0 Ah (2 Batteries)
+ GAL 12 V-40 (1 Charger)



18 V 2.0 Ah (2 Batteries)
+ GAL 18 V-40 (1 Charger)



18 V 4.0 Ah (2 Batteries)
+ GAL 18 V-40 (1 Charger)



18 V 6.0 Ah (2 Batteries)
+ GAL 1880 (1 Charger)



Charger (AL 1860 CV) +
2 Battery Packs (18 V, 4.0 Ah)



GBA 18 V 1 X 4.0 Ah MW



2.0 Ah 18 V
(1 Charger + 1 Battery)

Drill

GBM 10 RE

HEAVY DUTY
1 year warranty




Capacity	
Power Input	: 450 W
In Steel	: 10 mm
In Aluminium	: 10 mm
In Wood	: 25 mm
No-load Speed	: 0 - 2,600 rpm
Weight	: 1.3 kg

Spare Parts

Carbon Brush	2 610 391 290
Switch	2 607 200 623
Chuck	2 608 571 078

GBM 13 RE

HEAVY DUTY
1 year warranty




Capacity	
Power Input	: 600 W
In Steel	: 13 mm
In Aluminium	: 13 mm
In Wood	: 30 mm
No-load Speed	: 0 - 2,600 rpm
Weight	: 1.65 kg

Spare Parts

Carbon Brush	2 610 391 290
Switch	2 607 200 623
Chuck	2 608 572 253

GBM 13 HRE "High Torque"

HEAVY DUTY
1 year warranty




Capacity	
Power Input	: 550 W
In Steel	: 13 mm
In Aluminium	: 20 mm
In Wood	: 40 mm
No-load Speed	: 0 - 550 rpm
Torque	: 40 Nm
Weight	: 2.1 kg

Spare Parts

Carbon Brush	1 607 031 222
Switch	2 607 200 920
Chuck	2 608 572 253

*GBM 16-2 RE

HEAVY DUTY
1 year warranty



Capacity	
Power Input	: 1,050 W
In Steel	: 16 / 8 mm
In Wood	: 20 / 13 mm
No-load Speed Hi	: 0 - 1,200 rpm
Lo	: 0 - 520 rpm
Weight	: 3.7 kg

Spare Parts

Carbon Brush	3 607 014 012
Switch	1 607 200 075

Note: Items marked '*' are on Indent Order Basis.

Drill

*GBM 23-2 E

HEAVY DUTY
1 year warranty



Capacity

Power Input	: 1,150 W
In Steel	: 23 / 13 mm
In Wood	: 50 / 35 mm
No-load Speed Hi	: 0 - 640 rpm
Lo	: 0 - 280 rpm
Weight	: 4.6 kg

Spare Parts

Carbon Brush	3 607 014 012
Switch	1 607 200 075

*GBM 32-4

HEAVY DUTY
1 year warranty



Capacity

Power Input	: 1,500 W
In Steel	: 32 mm
In Aluminium	: 50 / 70 mm
4 Speed	: 210 / 330 / 470 / 740 rpm
Weight	: 7.3 kg

Spare Parts

Carbon Brush	1 607 200 075
Switch	1 607 200 075

GBM 50-2

HEAVY DUTY
1 year warranty



Capacity

Power Input	: 1,200 W
No-load Speed	: 50 - 255 / 100 - 510 rpm
Annular Cutter	: Ø50 mm
Max. Twist Drill	: Ø23
Max. Thread	: M16
Weight	: 14.7 kg

Spare Parts

Carbon Brush	1 607 200 075
Switch	1 607 200 075

GBM 350

6 months Warranty



Capacity

Power Input	: 350 W
In Steel	: 10 mm
In Aluminium	: 13 mm
In Wood	: 20 mm
No-load Speed	: 0 - 2,800 rpm
Weight	: 1.2 kg

Spare Parts

Carbon Brush	1 619 P20 086
Switch	2 607 200 623
Chuck	2 608 571 078

Impact Drill

GSB 10 RE (Also Available in 110V)

6 months Warranty



Capacity

Power Input	: 500 W
In Masonry	: 10 mm
In Steel	: 8 mm
In Wood	: 20 mm
No-load Speed	: 0 - 2,600 rpm
Weight	: 1.5 kg

Spare Parts

Carbon Brush	2 610 391 290
Switch	2 607 200 623
Armature	2 609 120 232
Coil	2 604 220 718
Chuck	2 608 571 078

GSB 13 RE

HEAVY DUTY
1 year warranty



Capacity

Power Input	: 650 W
In Concrete	: 13 mm
In Steel	: 10 mm
In Wood (hard)	: 20 mm
No-load Speed	: 0 - 3,150 rpm
Impact Rate	: 0 - 47,000 bpm
Weight	: 1.6 kg

Spare Parts

Carbon Brush	2 610 391 290
Switch	2 607 200 623
Chuck	2 608 572 253

GSB 16 RE (Also Available in 110V)

HEAVY DUTY
1 year warranty



Capacity

Power Input	: 750 W
In Concrete	: 16 mm
In Steel	: 12 mm
In Wood (hard)	: 25 mm
No-load Speed	: 0 - 3,250 rpm
Impact Rate	: 0 - 48,500 bpm
Weight	: 1.8 kg

Spare Parts

Carbon Brush	2 610 391 290
Switch	1 607 200 270
Chuck	2 608 572 253

GSB 20-2 RE

HEAVY DUTY
1 year warranty



Capacity

Power Input	: 800W
In Concrete	: 20 mm
In Steel	: 13 mm
In Wood (hard)	: 40 mm
No-load Speed	: 0 - 1,000 / 3,000 rpm
Impact Rate	: 0 - 16,000 / 48,000 bpm
Weight	: 2.6 kg

Spare Parts

Carbon Brush	1 617 000 525
Switch	1 607 200 270
Chuck	2 608 572 253

Multi-Cutter

*GSB 21-2 RCT

HEAVY DUTY
1 year warranty



Capacity

Power Input	: 1,300 W
In Concrete	: 22 / 13 mm
In Steel	: 16 / 10 mm
In Wood (hard)	: 40 / 25 mm
No-load Speed	: 0 - 900 / 3,000 rpm
Max. Torque	: 43 - 20.5 Nm
Weight	: 2.8 kg

Spare Parts

Carbon Brush	1 617 000 525
Switch	2 607 200 679

GOP 30-28

HEAVY DUTY
1 year warranty



Capacity

Power Input	: 300W
Oscillating amplitude	: 2.8° (2 x 1.4°)
No-load Speed	: 8,000 - 20,000 opm
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 1.5 kg

Spare Parts

Carbon Brush	1 607 031 222
Switch	1 617 200 542
Armature	1 619 P09 818
Coil	1 619 P08 313

Rotary Hammer

GBH 2-20 RE

6 months Warranty



Capacity

Power Input	: 600W
In Concrete	: 20 mm
In Steel	: 13 mm
In Wood	: 30 mm
No-load Speed	: 0-1,000 rpm
Impact Rate	: 0-4,400 bpm
Weight	: 2.3 kg

Spare Parts

Carbon Brush	1 607 031 222
Switch	1 617 200 542
Armature	1 619 P09 818
Coil	1 619 P08 313

GBH 2-23 RE (Only available in 110V)

6 months Warranty



Capacity

Power Input	: 650 W
In Concrete	: 23 mm
In Steel	: 13 mm
In Wood	: 30 mm
No-load Speed	: 0 - 1,000 rpm
Impact Rate	: 0 - 4,400 bpm
Weight	: 2.3 kg

Spare Parts

Carbon Brush	1 617 000 525
Switch	1 617 200 532
Armature	1 617 000 561
Coil	2 604 220 693

Rotary Hammer

GBH 2-23 REA

HEAVY DUTY
1 year warranty



Capacity

Power Input	: 710 W
In Concrete	: 4 - 23 mm
In Steel	: Up to 13 mm
In Wood	: Up to 30 mm
No-load Speed	: 0 - 1,000 rpm
Impact Rate	: 0 - 4,400 bpm
Weight	: 2.9 / 3.6 kg

Spare Parts

Carbon Brush	1 617 000 525
Switch	1 617 200 532
Filter	1 619 P04 479
Dust Cap	1 619 P06 107
Dust Extractor	1 618 190 014

GBH 2-24 RE / DRE

HEAVY DUTY
1 year warranty



Capacity


Power Input	: 790 W
In Steel	: 13 mm
In Wood	: 30 mm
Impact Energy	: 2.7 J
No-load Speed	: 0 - 1,300 rpm
Impact Rate	: 0 - 4,200 bpm
Weight	: 2.8 kg

Spare Parts

Carbon Brush	1 617 000 525
Switch	1 607 200 32D
Armature	1 619 P13 626

GBH 2-26 RE (Also Available in 110V)

HEAVY DUTY
1 year warranty



Capacity


Power Input	: 800 W
In Concrete	: 4 - 26 mm
In Steel	: Up to 13 mm
In Wood	: Up to 30 mm
No-load Speed	: 0 - 900 rpm
Impact Rate	: 0 - 4,000 bpm
Weight	: 2.7 kg

Spare Parts

Carbon Brush	1 617 000 515
Switch	1 617 200 532
Armature	1 619 P10 005
Coil	1 614 220 127

GBH 2-26 DRE

HEAVY DUTY
1 year warranty



Capacity


Power Input	: 800 W
In Concrete	: 4 - 26 mm
In Steel	: Up to 13 mm
In Wood	: Up to 30 mm
No-load Speed	: 0 - 900 rpm
Impact Rate	: 0 - 4,000 bpm
Weight	: 2.7 kg

Spare Parts

Carbon Brush	1 617 000 525
Switch	1 617 200 532

GBH 2-26 DFR

HEAVY DUTY
1 year warranty



Capacity


Power Input	: 800 W
In Concrete	: 4 - 26 mm
In Steel	: Up to 13 mm
In Wood	: Up to 30 mm
No-load Speed	: 0 - 900 rpm
Impact Rate	: 0 - 4,000 bpm
Weight	: 2.9 kg

Spare Parts

Carbon Brush	1 617 000 525
Switch	1 617 200 532
Tool Holder	1 617 000 895

GBH 2-28 DFV

HEAVY DUTY
1 year warranty



Capacity


Power Input	: 820 W
Impact Energy	: 0 - 3.2 J
In Concrete	: 4-28 mm
In Steel	: 13 mm
In Masonry	: 68 mm
No-load Speed	: 0 - 1,300 rpm
Impact Rate	: 0 - 5,100 bpm
Weight	: 2.9 kg

Spare Parts

Carbon Brush	1 617 000 525
Switch	1 617 200 532
Tool Holder	1 617 000 895

GBH 3-28 DFR

HEAVY DUTY
1 year warranty



Capacity


Power Input	: 800 W
In Concrete	: 28 mm
In Steel	: Up to 13 mm
In Wood	: Up to 30 mm
No-load Speed	: 0 - 900 rpm
Impact Rate	: 0 - 4,000 bpm
Weight	: 3.6 kg

Spare Parts

Carbon Brush	1 617 000 525
Switch	1 617 200 127
Tool Holder	1 617 000 895

GBH 4-32 DFR

HEAVY DUTY
1 year warranty



Capacity

Power Input	: 900 W
In Concrete	: 32 mm
In Steel	: Up to 13 mm
In Wood	: Up to 32 mm
No-load Speed	: 0 - 760 rpm
Impact Rate	: 0 - 3,600 bpm
Weight	: 4.7 kg

Spare Parts

Carbon Brush	1 614 321 079
Switch	1 617 200 127
Tool Holder	1 617 000 895

Rotary Hammer with SDS-Max

GBH 5-40 D (Also Available in 110V)

HEAVY DUTY
1 year warranty



Capacity


Power Input	: 1,100 W
Rate Speed	: 170 - 340 rpm
Impact Energy	: 8.5 J
Chisel Positions	: 12
Impact Rate	: 1,500 - 2,900 bpm
Weight	: 6.8 kg

Spare Parts

Carbon Brush	1 617 014 138
Hammer Piston	1 619 P10 765
Armature	1 619 P10 769
Coil	1 619 P08 323

GBH 8-45 D (Also Available in 110V)

HEAVY DUTY
1 year warranty



Capacity

Power Input	: 1,500 W
Impact Energy	: 12.5 J
No-load Speed	: 0 - 305 rpm
Impact Rate	: 1,380 - 2,720 bpm
Weight	: 8.2 kg

Spare Parts

Carbon Brush	1 617 000 A50
Armature	1 614 010 267
Coil	1 614 220 124

Magnetic Drill Stand

*GMB 32



Capacity

Power Input	: 95 W
Clamping Flange Diameter	: 65 mm
Magnet Retention Force	: 25 kN
Working Length, Z-axis	: 223 mm
Twist Drill Bit Diameter	: 32 mm
Core Cutter Dia.	: 12 - 60 mm
Weight	: 26 kg

Spare Parts

Switch	3 609 201 527
--------	---------------

Dust Extractor

*GDE 68



Capacity

Drilling Diameter	: max. 68 mm
Weight	: 0.325 kg
Suitable for all drilling tools, e.g.	
GBH 4-32 DFR, GBH 5-40 DCE,	
GBH 8-45 DV	

Spare Parts

Sealing Profile	1 600 A00 1MJ
Brush Bar	1 600 A00 1MK

Dust Extractor

*GDE 162



Capacity

Drilling Diameter : max. 162 mm
Weight : 0.5 kg

Suitable for all drilling tools, e.g.
GBH 4-32 DFR, GBH 5-40 DCE,
GBH 8-45 DV

Spare Parts

Sealing Profile 1 600 A00 1MJ
Brush Bar 1 600 A00 1NT

*GDE 16



Capacity

Drilling Diameter : max. 16 mm
Maximum drilling depth : 120 mm
Weight : 0.520 kg

Suitable for GBH 2-20 D, GBH 2-24 D / DF,
GBH 2400, GBH 2600, GBH 2-26 RE / DRE
/ DFR, GBH 2-28 DV / DFV, GBH 3-28 DRE
/ DFR, GBH 18 V-EC, GBH 36 V-LI / VF-LI

Spare Parts

Socket Pipe 1 600 A00 1PZ
Elbow 1 600 A00 1JN

*GDE Max



Capacity

Weight : 0.750 kg

Suitable for GSH 5 CE, GSH 7 VC,
GSH 11 VC, GBH 5-40 DCE, GBH 7-46 DE,
GBH 8-45 DV, GBH 11 DE

Spare Parts

V-Block 1 600 A00 1W1
Index Turning Toolholder 1 600 A00 1R9
Brush Bar 1 600 A00 1LX

GSH 5 (SDS MAX)

HEAVY DUTY
1 year warranty



Capacity

Power Input : 1,100 W
Impact rate : 2,850 bpm
Impact Energy : 7.5 J
No-load Speed : 27,000 rpm
Weight : 5.6 kg

Spare Parts

Carbon Brush 1 617 014 138
Hammer Piston 1 619 P07 775
Armature 1 619 P10 090
Coil 1 619 P05 386

Demolition Hammer

GSH 5X Plus (Also Available in 110V)



Capacity

Power Input : 1,025 W
Impact rate : 2,750 bpm
Impact Energy : 6.8 J
Tool holder : Hex (17 mm)
Voltage : 240 V
Frequency : 50 / 60 Hz
Weight : 5.5 kg

Spare Parts

Carbon Brush 1 617 014 138
Hammer Piston 1 619 P09 703
Switch 1 619 P09 019
Armature 1 619 P09 697
Coil 1 619 P08 302

GSH 5 CE (*Also Available in 110V)

HEAVY DUTY
1 year warranty



Capacity

Power Input : 1,150 W
Impact rate : 1,300 - 2,900 bpm
Impact Force : 2 - 13 J
Weight : 6.2 kg

Spare Parts

Carbon Brush 1 617 014 138
Armature 1 614 011 098
Stopping Device 1 612 300 036
Indexing Disk 1 610 290 076
Hammer Piston 1 617 000 A00

GSH 500 Gen 2



NEW!



Capacity

Power Input : 1,100 W
Impact rate : 2,900 bpm
Impact Energy : 7.8 J
Tool holder : Hex (17 mm)
No-load Speed : 2,900 rpm
Weight : 5.6 kg

GSH 9 VC (Also Available in 110V)

HEAVY DUTY
1 year warranty



Capacity

Power Input : 1,500 W
Impact Force : 13 J
Vibration Value : 9.5 m/s²
Weight : 8.5 kg

Spare Parts

Carbon Brush 1 617 000 A50
Armature 1 614 010 267
Coil 1 614 220 124

GSH 11 E (Also Available in 110V)

HEAVY DUTY
1 year warranty



Capacity

Power Input : 1,500 W
Impact rate : 900 - 1,890 bpm
Impact Force : 6 - 25 J
Weight : 10.1 kg

Spare Parts

Carbon Brush 1 617 014 126
Switch 1 617 200 048
Coil 1 607 000 C3V

GSH 11 VC (Also Available in 110V)

HEAVY DUTY
1 year warranty



Capacity

Power Input : 1,700 W
Impact Rate : 900-1,700 bpm
Impact Force : 23 J
Vibration Values Chiselling : 8 m/s²
Voltage : 230 / 240 V
Frequency : 50 / 60 Hz
Weight : 11.4 kg

Spare Parts

Carbon Brush 1 617 000 A50
Armature 1 614 011 120
Coil 1 604 220 52F

GSH 16-30

HEAVY DUTY
1 year warranty



Capacity

Power Input : 1,750 W
Impact rate : 1,300 bpm
Impact Force : 45 J
Weight : 16.5 kg

Spare Parts

Carbon Brush 1 617 014 126
Hammer Piston 1 607 000 C3M
Armature 1 614 011 117
Switch 1 607 200 244
Coil 1 604 220 52M

*GSH 27 VC

HEAVY DUTY
1 year warranty



Capacity

Power Input : 2,000 W
Impact rate : 1,000 bpm
Impact Force : 69 J
Weight : 29.5 kg

Spare Parts

Carbon Brush 1 617 000 425
Armature 1 614 011 139

Straight Grinder

GGG 3000 L



Capacity

Power Input	: 300 W
Collet	: 6 mm
Diameter (L x H x W)	: 360 x 80 x 80 mm
No-load Speed	: 28,000 rpm
Voltage	: 240 V
Frequency	: 50 / 60 Hz
Weight	: 1.8 kg

Spare Parts

Carbon Brush	1 607 031 223
Armature	1 619 P08 203
Switch	1 607 200 146
Coil	1 619 P09 835

GGG 5000 L



Capacity

Power Input	: 500 W
No-load Speed	: 33,000 rpm
Max. Collect Capacity	: 8 mm
Diameter (L x H x W)	: 360 x 80 x 80 mm
Voltage	: 240 V
Frequency	: 50 / 60 Hz
Weight	: 1.4 kg

Spare Parts

Carbon Brush	1 607 031 223
Armature	1 619 P08 212
Switch	1 607 014 146
Coil	1 619 P09 888

GGG 28 C



Capacity

Power Input	: 650 W
Max. Collet Diameter	: 8 mm
No-load Speed	: 28,000 rpm
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 1.4 kg

Spare Parts

Carbon Brush	1 607 014 176
Armature	3 607 030 476
Switch	1 607 200 199
Coil	3 607 030 475

*GGG 28 LC (Also Available in 110V)



Capacity

Power Input	: 650 W
Max. Collet Diameter	: 8 mm
No-load Speed	: 28,000 rpm
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 1.6 kg

Spare Parts

Carbon Brush	1 607 014 176
Armature	3 607 030 476
Switch	1 607 200 199
Coil	3 607 030 475

Angle Grinder

*GGG 6 S



Capacity

Power Input	: 1,200 W
Grinding Points (Diameter)	: Max. 125 mm
No-load Speed	: 6,800 rpm
Weight	: 3.9 kg

Spare Parts

Carbon Brush	3 607 014 012
Armature	1 604 010 474
Switch	1 607 200 064

GWS 060



Capacity

Power Input	: 670 W
No-load Speed	: 12,000 rpm
Spindle	: M10 / M14
Disc Dia.	: 100 / 115 mm
Weight	: 1.6 kg

Spare Parts

Carbon Brush	1 607 031 223
Armature	1 619 P01 844
Switch	1 607 200 179
Coil	1 619 P12 316

GWS 6-100 (Only available in 110V)



Capacity

Power Input	: 670 W
Grinding / Cutting	
Disc Diameter	: 100 mm
Wire Cup Brush Diameter	: 70 mm
No-load Speed	: 11,000 rpm
Weight	: 1.8 kg

Spare Parts

Carbon Brush	1 607 031 223
Armature	1 604 010 626
Switch	1 607 200 179
Coil	1 604 220 328

GWS 750-100



Capacity

Power Input	: 750 W
No-load Speed	: 11,000 rpm
Disc Diameter	: 100 mm
Grip Size	: 59 / 54.5 mm
Perimeter	: 187 mm
Weight	: 1.8 kg

Spare Parts

Carbon Brush	1 607 031 223
Armature	1 619 P08 234
Coil	1 619 P08 334

GWS 9-100 P



Capacity

Power Input	: 900 W
Grinding / Cutting	
Disc Diameter	: 100 mm
Wire Cup Brush Dia.	: 70 mm
No-load Speed	: 11,000 rpm
Weight	: 1.9 kg

GWS 900-100



Capacity

Power Input	: 900 W
Grinding / Cutting	
Disc Diameter	: 100 mm
No-load Speed	: 11,000 rpm
Grinding Spindle Thread	: M 10
Weight	: 1.8 kg

Spare Parts

Carbon Brush	1 607 031 223
--------------	---------------

GWS 900-100 S



Capacity

Power Input	: 900 W
Grinding / Cutting	
Disc Diameter	: 100 mm
Grinding Spindle Thread	: M10
No-load Speed	: 2,800 - 11,000 rpm
Weight	: 1.9 kg

GWS 11-125 P (Only available in 110V)



Capacity

Power Input	: 1,100 W
No-load Speed	: 11,500 rpm
Grinding Spindle Thread	: M14
Disc Diameter	: 125 mm
Wire Cup Brush Diameter	: 75 mm
Weight	: 2.2kg

Angle Grinder

GWS 13-125 CI

HEAVY DUTY
1 year warranty



Capacity

Power Input	: 1,300 W
No-load Speed	: 11,500 rpm
Grinding Spindle Thread	: M14
Disc Diameter	: 125 mm
Wire Cup Brush Diameter	: 75 mm
Weight	: 2.3 kg

Spare Parts

Carbon Brush	1 607 000 V37
Bearing Flange	1 607 000 448
Gear Sets	1 607 000 V44

GWS 17-125 CI

HEAVY DUTY
1 year warranty



Capacity

Power Input	: 1,700 W
No-load Speed	: 11,500 rpm
Grinding Spindle Thread	: M14
Disc Diameter	: 125 mm
Wire Cup Brush Diameter	: 75 mm
Weight	: 2.4 kg

Spare Parts

Carbon Brush	1 607 000 V37
Bearing Flange	1 607 000 448
Gear Sets	1 600 A00 22W

GWS 17-150 CI

HEAVY DUTY
1 year warranty



Capacity

Power Input	: 1,700 W
No-load Speed	: 9,300 rpm
Grinding Spindle Thread	: M14
Disc Diameter	: 150 mm
Wire Cup Brush Diameter	: 75 mm
Weight	: 2.4 kg

Spare Parts

Carbon Brush	1 607 000 V37
Bearing Flange	1 607 000 449
Gear Sets	1 607 000 A4P

GWS 18-125 L

HEAVY DUTY
1 year warranty



Capacity

Power Input	: 1,800 W
No-load Speed	: 12,000 rpm
Grinding Spindle Thread	: M14
Disc Diameter	: 125 mm
Wire Cup Brush Diameter	: 75 mm
Weight	: 2.5 kg

GWS 18-150 L

HEAVY DUTY
1 year warranty



Capacity

Power Input	: 1,800 W
No-load Speed	: 10,000 rpm
Grinding Spindle Thread	: M14
Disc Diameter	: 150 mm
Wire Cup Brush Diameter	: 75 mm
Weight	: 2.6 kg

*GWS 20-180 (Also Available in 110V)

HEAVY DUTY
1 year warranty



Capacity

Power Input	: 2,000 W
Grinding / Cutting	
Disc Diameter	: 180 mm
Wire Cup Brush Diameter	: 100 mm
No-load Speed	: 8,500 rpm
Weight	: 4.2 kg

Spare Parts

Carbon Brush	1 607 014 171
Armature	1 604 011 252
Coil	1 604 220 380
Switch	1 607 000 967

GWS 20-230

HEAVY DUTY
1 year warranty



Capacity

Power Input	: 2,000 W
Grinding / Cutting	
Disc Diameter	: 230 mm
Wire Cup Brush Diameter	: 100 mm
No-load Speed	: 6,500 rpm
Weight	: 4.2 kg

Spare Parts

Carbon Brush	1 607 014 171
Armature	1 604 011 252
Coil	1 604 220 380
Switch	1 607 000 967

GWX 9-125 S

HEAVY DUTY
1 year warranty



Capacity

Power Input	: 900 W
No-load Speed	: 2,800 - 11,000 rpm
Switch	: 2-way
Disc Diameter	: 125 mm
Wire Cup Brush Diameter	: 75 mm
Weight	: 2.1 kg

GWX 14-125

HEAVY DUTY
1 year warranty



Capacity

Power Input	: 1,400 W
No-load Speed	: 11,000 rpm
Grinding Spindle Thread	: M14
Disc Diameter	: 125 mm
Wire Cup Brush Diameter	: 75 mm
Weight	: 2.3 kg

Impact Wrench

*GDS 18 E (Also Available in 110V)

HEAVY DUTY
1 year warranty



Capacity

Power Input	: 500 W
Bolts KW	: M6 - M18
Torque	: 70 - 250 Nm
No-load Speed	: 500 - 1,300 rpm
Weight	: 3.3 kg

Spare Parts

Carbon Brush	1 619 PA2 438
Tool Holding Fixture	1 619 PA2 453
Armature	1 619 PA2 436
Coil	1 619 PA2 435

*GDS 30

HEAVY DUTY
1 year warranty



Capacity

Power Input	: 920 W
Torque	: 500 - 1,000 Nm
Toolholder	: 1" External square
No-load Speed	: 860 rpm
Weight	: 7.3 kg

Spare Parts

Carbon Brush	3 607 014 012
--------------	---------------

Stirrer / Mixer Drill

GRW 12 E

HEAVY DUTY
1 year warranty



Capacity

Power Input	: 1,200 W
Rated Torque	: 12.0 Nm
Connector Type	: M14 Inside Thread
Max. Paddle Ø	: 140 mm
Incl. Paddle Ø	: 140 mm
No-load Speed	: 0 - 1,000 rpm
Weight	: 5.3 kg

Spare Parts

Carbon Brush	1 607 014 17A
Armature	1 604 010 B1U
Mixer Attachment	3 609 201 036
Coil	1 604 220 235

Shear

*GSC 2.8

HEAVY DUTY

1 year warranty



Capacity

Power Input	: 500 W
In Steel	: 2.8 mm
In Aluminium	: 3.5 mm
No-load Stroke Rate	: 2,400 rpm
Weight	: 2.7 kg

Spare Parts

Upper Blade	2 608 635 065
Lower Blade	2 608 635 042

Bench Grinder

GBG 35-15

HEAVY DUTY

1 year warranty



Capacity

Power Input	: 350 W
No-load Speed	: 3,000 rpm
Disc Diameter	: 150 mm
Weight	: 10 kg

GBG 60-20

HEAVY DUTY

1 year warranty



Capacity

Power Input	: 600 W
No-load Speed	: 3,600 rpm
Disc Diameter	: 200 mm
Weight	: 17 kg

Marble Cutter

GDC 140



Capacity

Power Input	: 1,400 W
Cutting Depth	: 35 mm
Cutting Diameter	: 115 mm
No-load Speed	: 13,200 rpm
Weight	: 2.9 kg

Nibbler

*GNA 2.0

HEAVY DUTY

1 year warranty



Capacity

Power Input	: 500 W
Mild Steel	: 2.0 mm
Stainless Steel	: 1.0 mm
No-load Speed	: 2,400 Stroke/min
Weight	: 2.0 kg

Spare Parts

Carbon Brush	1 607 031 228
Die Holder	2 608 639 900
Straight & Curve	
Cutting Punch	2 608 639 013

Circular Saw

GKS 140



NEW!



Capacity

Power Input	: 1,400 W
Cutting depth: In Wood	: 184 mm
Saw Blade Bore Diameter	: 20 mm
No-load Speed	: 6,200 rpm
Base Plate	: 290 x 150 mm
Cutting depth (90°/45°)	: 64 / 45 mm
Weight	: 3.7 kg

GKS 600



Capacity

Power Input	: 1,200 W
No-load Speed	: 5,000 rpm
Disc Diameter	: 165 mm
Cutting depth (90°/45°)	: 55 / 37 mm
Weight	: 3.6 kg

GKS 7000



Capacity

Power Input	: 1,100 W
No-load Speed	: 5,200 rpm
Saw Blade Range	: 187 - 190 mm
Max. Cutting depth 90° / 45°	: 65 / 47 mm
Weight	: 3.6 kg

Spare Parts

Carbon Brush	1 619 P10 063
Armature	1 619 P10 062
Coil	1 619 P08 314
Switch	1 619 P09 971

Sabre Saw

GSA 1100 E
(*Also Available in 110V)

HEAVY DUTY

1 year warranty



Capacity

Power Input	: 1,100 W
Cutting depth: In Wood	: 230 mm
In Metal	: 20 mm
No-load Stroke Rate	: 0 - 2,700 spm
Weight	: 3.6 kg

Spare Parts

Carbon Brush	2 610 956 917
Screw	1 619 P05 408
Blade Holder	1 619 PA4 168
Supporting Foot	2 610 956 898

Reciprocating Saw

GSA 120

HEAVY DUTY

1 year warranty

NEW!



Capacity

Power Input	: 1,200 W
Stroke Rate	: 0 - 3,000/min.
Stroke Length	: 29 mm
Blade Change	: SDS
Cutting Depth in Wood	: 220 mm
In Metal	: 20 mm
Weight	: 3.7 kg

Diamond Wheel Cutter

GDM 13-34
(*Also Available in 110V)

HEAVY DUTY

1 year warranty



Capacity

Power Input	: 1,300 W
Blade Diameter	: 110 mm
Max. Cutting Depth	: 34 mm
Base Plate	: 100 X 190 mm
No-load Speed	: 12,000 rpm
Weight	: 2.8 kg

Spare Parts

Carbon Brush	1 619 P06 304
Armature	1 619 P06 303
Screw	1 619 P00 278
Inner Flange	1 619 P07 057
Outer Flange	1 619 P06 295

Dry Cutter

GCD 12 JL

HEAVY DUTY

1 year warranty



Capacity

Power Input	: 2,000 W
Saw Blade Diameter	: 305 mm
Mitre Angles	: 0° - 45°
No-load Speed	: 1,500 rpm
Cutting Capacity (Square)	: 100 X 100 mm
(Round)	: 115 mm
Weight	: 20 kg

Spare Parts

Carbon Brush	1 607 014 171
Armature	1 609 B04 679
Coil	1 609 B00 115
Switch	1 609 B05 400

Jigsaw

GST 65 (Only available in 110V)



Capacity

Power Input	: 400 W
In Wood	: 65 mm
In Steel	: 3 mm
No-load Stroke Rate	: 3,100 spm
Weight	: 1.7 kg

Spare Parts

Carbon Brush	2 604 321 919
Switch	2 607 200 637
Base Plate	2 601 016 012
Retaining Bracket	2 608 135 901

GST 700



Capacity

Power Input	: 500 W
In Wood	: 70 mm
In Steel	: 6 mm
No-load Stroke Rate	: 1,450 - 3,200 spm
Weight	: 2.1 kg

Spare Parts

Carbon Brush	1 607 031 228
Base Plate	2 601 016 903
Roller Level	2 601 321 902
Lifting Rod	2 600 780 177
Clamp Screw	2 603 400 000

GST 80 PBE



Capacity

Power Input	: 580 W
In Wood	: 85 mm
In Steel	: 10 mm
No-load Stroke Rate	: 500 - 3,100 spm
Weight	: 2.4 kg

Spare Parts

Carbon Brush	1 607 031 228
Base Plate	2 601 016 903
Roller Level	2 601 321 902
Lifting Rod	2 600 780 177
Clamp Screw	2 603 400 000

GST 25 M (Also Available in 110V)



Capacity

Power Input	: 670 W
In Wood	: 80 mm
In Aluminium	: 25 mm
In Steel	: 15 mm
No-load Stroke Rate	: 500 - 2,600 rpm
Weight	: 2.7 kg

Spare Parts

Carbon Brush	1 607 031 228
Base Plate	1 619 P07 199
Roller Level	1 619 P07 318

Slide Mitre Saw

GCM 10 S



Capacity

Power Input	: 1,800 W
Blade Size	: 254 mm
Bore Size	: 30 mm
No-load Speed	: 4,700 rpm
Max. Mitre	: 52° L / 62° R
Cutting Capacity	: 87 X 305 mm
Weight	: 21.5 kg

Spare Parts

Carbon Brush	1 609 203 L02
Armature	1 619 P03 776
Coil	1 609 203 J56

Cut off Machine

GCO 220



Capacity

Power Input	: 2,200 W
No-load Speed	: 3,800 rpm
Disc Diameter	: 355 mm
Blade Bore Size	: 25.4 mm
Weight	: 15 kg

Spare Parts

Carbon Brush	1 607 014 171
Armature	1 609 B03 566
Coil	1 609 B00 129
Switch	1 619 P03 844

GCO 2000 (Only available in 110V)



Capacity

Power Input	: 2,000 W
Blade Diameter	: 355 mm
Max. Cutting Capacities at 90°	: 120 mm
No-load Speed	: 3,500 rpm
Weight	: 15.8 kg

Spare Parts

Carbon Brush	1 607 014 171
Armature	1 609 B03 566
Coil	1 609 B00 129
Switch	1 619 P03 844

GCO 14-24 J (Soft Start)



Capacity

Power Input	: 2,400 W
Saw Blade Diameter	: 355 mm
Saw Blade Bore	: 25.4 mm
No-load Speed	: 3,800 rpm
Voltage	: 230 / 240 V
Weight	: 18.1 kg

Spare Parts

Carbon Brush	1 607 014 171
Armature	1 609 B03 638
Coil	1 609 B00 149

Table Saw

GTS 10 J



Capacity

Power Input	: 1,800 W
Saw Blade Diameter	: 254 mm
Bevel Setting	: 47° L / 2° R
Cutting Capacity (Right)	: 460
(Left)	: 210
Weight	: 26 kg

Spare Parts

Carbon Brush	2 610 018 332
Coil	1 609 203 K86
Armature	1 619 P03 278
Switch	2 610 016 997

Compound Mitre Saw

GCM 10 MX



Capacity

Power Input	: 1,700 W
Blade Size	: 255 mm
Arbour Size	: 25.4 mm
No-load Speed	: 4,800 rpm
Max Mitre	: 45° L / 52° R
Max. Cutting Capacity	: 89 x 89 mm
Weight	: 13.5 kg

Spare Parts

Carbon Brush	1 619 PA7 057
Armature	1 619 PA7 056
Coil	1 619 PA6 835

*GCM 12 GDL



Capacity

Power Input	: 2,000 W
Blade Size	: 305 mm
Arbour Size	: 30 mm
No-load Speed	: 3,800 rpm
Max. Mitre	: 52° L / 60° R
Cutting Capacity	: 104 x 341 mm
Weight	: 32.1 kg

Mitre Saw Stand

*T1B



Capacity

Length of work bench without extension	: 1,220 mm
Length of work bench with extension	: 2,630 mm
Weight	: 17 / 22 kg

Table Saw Stand

GTA 600
(0 601 B22 002)



Capacity

Table Height	: 602 mm
Max. Length Extension	
Unfolded	: 450 x 520 (D x L)
Max. Load Capacity	: 60 kg
Weight	: 6.3 kg

Planer

GHO 10-82
(*Also Available in 110V)

HEAVY DUTY
1 year warranty



WOOD
RAOR

Capacity

Power Input	: 710 W
Planing Width	: 82 mm
Planing Depth	: 0 - 3.0 mm
No-load Speed	: 16,500 rpm
Weight	: 2.5 kg

Spare Parts

Carbon Brush	1 607 031 222
Planing Knife	2 609 110 357
V-Belt	2 609 100 410

GHO 6500



Capacity

Power Input	: 650 W
No-load Speed	: 16,500 rpm
Adjustable Chip Thickness	: 0 - 2.6 mm
Adjustable Rebating Depth	: 0 - 9 mm
Diameter (L x H x W)	: 280 x 140 x 158 mm
Weight	: 2.8 kg

Spare Parts

Planing Knife	2 609 110 357
V-Belt	2 609 100 410

Foam Cutter

GSG 300

HEAVY DUTY
1 year warranty



Capacity

Power Input	: 350 W
Cutting Capacity	: 300 mm
No-load Stroke Rate	: 3,200 spm
Weight	: 1.6 kg


Spare Parts

Carbon Brush	1 607 014 17J
Base Plate	2 608 000 908
Switch	2 607 200 286

Eccentric Sander

GEX 125-1 AE

HEAVY DUTY
1 year warranty



Capacity

Power Input	: 250 W
Oscillating Circuit	
Diameter	: 2.5 mm
Orbit Rate	: 15,000 - 24,000 opm
Sanding Plate	: 125 mm
No-load Speed	: 7,500 - 12,000 rpm
Weight	: 1.3 kg

Spare Parts

Carbon Brush	2 609 120 199
Switch	1 607 200 190
Dust Container	2 609 199 176
Bearing Flange	2 609 100 862
Backing Pad	2 609 100 900

Orbital Sander

GSS 140



Capacity

Power Input	: 220 W
No-load Speed	: 14,000 rpm
Orbital Stroke Rate	: 28,000 opm
Orbit Diameter	: 1.5 mm
Weight	: 1.2 kg

GSS 230



Capacity

Power Input	: 190 W
Orbit Rate	: 24,000 opm
Sanding Plate	: 92 x 182 mm
Weight	: 1.4 kg

Spare Parts

Carbon Brush	2 609 120 199
Switch	2 607 200 632
Foam Panel	2 609 100 403

*GSS 280 AE

HEAVY DUTY
1 year warranty



Capacity

Power Input	: 330 W
Oscillating Circuit	
Diameter	: 2.4 mm
Orbit Rate	: 11,000 - 22,000 opm
Sanding Plate	: 114 mm
No-load Speed	: 5,500 - 11,000 rpm
Weight	: 2.6 kg

Spare Parts

Carbon Brush	1 607 031 222
Sander Plate	2 608 000 168
Switch	2 607 200 260

Polisher

GSS 280 AVE (Indent)

HEAVY DUTY
1 year warranty



Capacity

Power Input	: 350 W
Oscillating Circuit	
Diameter	: 2.4 mm
Orbit Rate	: 16,000 - 22,000 opm
Sanding Plate	: 114 mm
No-load Speed	: 8,000 - 11,000 rpm
Weight	: 2.75 kg

Spare Parts

Carbon Brush	1 607 031 222
--------------	---------------

GPO 12 CE

HEAVY DUTY
1 year warranty



Capacity

Power Input	: 1,250 W
Polishing Disc Diameter	: 180 mm
Thread of	
Polishing Spindle	: M14
Tool Length	: 450 mm
No-load Speed	: 750 - 3,000 rpm
Weight	: 2.5 kg

Spare Parts

Carbon Brush	1 607 014 176
Speed Governor	1 607 233 256
Switch	1 619 P09 841
Armature	1 619 P09 115

GPO 950



Capacity

Power Input	: 950 W
Adaptor Size	: M14 / M16
Rubber Sanding Plate,	
Diameter	: 180 mm
Variable Speed	: 600 - 2,100 rpm
Weight	: 2.3 kg

Belt Sander

GBS 75 A

HEAVY DUTY
1 year warranty



Capacity

Power Input	: 710 W
No-load Belt Speed	: 300 m/min
Sanding Surface	: 75 x 130 mm
Belt Size	: 75 x 533 mm
Weight	: 3.2 kg

Spare Parts

Carbon Brush	1 607 031 222
Belt	2 604 736 010

Note: Items marked '*x*' are on Indent Order Basis.

Blower

GBL 620



Capacity

Power Input	: 620 W
No-load Speed	: 16,000 rpm
Air Volume	: 3.5 m ³ /min
Weight	: 1.7 kg

GBL 800 E (Also Available in 110V)



1 year warranty



Capacity

Power Input	: 800 W
No-load Speed	: 16,000 rpm
Air Volume	: 4.5 m ³ /min
Weight	: 1.8 kg

Spare Parts

Carbon Brush	1 604 321 129
Speed Governor	1 607 233 348
Switch	2 607 200 637
Armature	1 604 010 A58
Coil	1 604 220 439

GBL 82-270



1 year warranty



Capacity

Power Input	: 820 W
No-load Speed	: 0 - 16,000 rpm
Air Volume	: 0 - 4.5 m ³ /min
Weight	: 1.8 kg

Hot Air Gun

GHG 18-60



6 months warranty



Capacity

Power Input	: 1,800 W
Temperature	: 50 / 400 / 600°C
Air Flow	: 250 / 350 / 500 l/min
Weight	: 0.52 kg

Mini Router / Trimmer

GHG 20-63 Kit (Also Available in 110V)



6 months warranty*



Capacity

Power Input	: 2,000 W
Temperature	: 50 - 630°C
Air Flow	: 150 / 300 / 500 l/min
Weight	: 0.65 kg

Mini Router / Trimmer

GMR 1



1 year warranty



Capacity

Power Input	: 550 W
Collet	: 6 mm or 1/4"
No-load Speed	: 33,000 rpm
Weight	: 1.5 kg

Spare Parts

Carbon Brush	2 609 120 149
Switch	2 609 120 274
Base Plate	2 610 008 124

GKF 550



Capacity

Power Input	: 550 W
Collet	: 1/4"
No-load Speed	: 33,000 rpm
Weight	: 1.4 kg

Wet & Dry Vacuum Cleaner

GAS 15 / 15 PS



1 year warranty



Capacity

Power Input	: 1,100 W
Container (gross/net)	: 15 / 8 litre
Air Flow Max.	: 33 l/sec
Max. Vacuum Pressure	: 22 kPa
Weight	: 6 kg
- Semi-automatic filter cleaning system,	
- 2 in 1: vacuuming and blowing	

GAS 12-25 L



1 year warranty



Capacity

Power Input	: 1,250 W
Container (gross/net)	: 25 / 21 litre
Air Flow Max.	: 63 l/sec
Max. Vacuum Pressure	: 20 mpa
Weight	: 10 kg
- Semi-automatic filter cleaning system,	
- 2 in 1: vacuuming and blowing	





Dust Free Solution

Dust Extraction Guard (For 4" Grinder)
2 608 000 629



Dust Extraction Guard (For 5" Grinder)
2 605 510 224



GDE 125 FC-T (For 5" Grinder)
1 600 A00 3DK



GDE 24 (GSB & GBH up to 24mm ø)
1 600 A01 M9V



GDE 68 (Up to 60mm ø)
1 600 A00 1G7



GDE 162 (Up to 162mm ø)
1 600 A00 1G8



GDE 16
1 600 A00 15Z



GDE MAX (5kg ~ 11kg Demolition Hammer)
1 600 A00 1G9



GDE HEX (16kg Demolition Hammer)
1 600 A00 1GA



GDE 18V-16 dust extractor
1 600 A00 51M



Dust Adaptor (GKS 600 / 7000)
2 608 000 563



Cordless Optical Scope

GLC 120 C



Capacity

Display size	: 3.5"
Display Resolution	: 320 x 240 px
Dia. of camera head	: 8.5 mm
Length of camera cable	: 120 cm
Batteries	: 4 x 1.5V LR6(AA) / 10.8V or 12V Li-ion Battery
Weight	: 0.64 kg

Laser Rangefinder

GLM 30



Capacity

Laser Diode	: 635 nm, <1mW
Measuring Range	: 0.15 - 30 m
Measuring Accuracy	: ± 2 mm
Measuring Units	: m/cm, ft/inch
Batteries	: 2 x 1.5V LR03 (AAA)
Weight	: 0.1 kg

GLM 40



Capacity

Laser Diode	: 635 nm, <1mW
Measuring Range	: 0.15 - 40 m
Measuring Accuracy	: ± 2 mm
Memory Capacity	: 10
Measuring Units	: m/cm, ft/inch
Batteries	: 2 x 1.5 V LR03(AAA)
Weight	: 0.1 kg

GLM 50 C



Capacity

Laser Diode	: 635 nm, <1mW
Measuring Range	: 0.05 - 50 m
Measuring Accuracy	: ± 1.5 mm
Tilt Sensor Range	: 0° - 360°
Measuring Units	: m/cm, ft/inch
Batteries	: 2 x 1.5 V LR03(AAA)
Memory Capacity	: 30
Weight	: 0.1 kg

GLM 500



Capacity

Laser Diode	: 635 nm, <1mW
Measuring Range	: 0.05 - 50 m
Measuring Accuracy	: ± 1.5 mm
Tilt Sensor Range	: 0° - 360°
Measuring Units	: m/cm, ft/inch
Batteries	: 2 x 1.5 V LR03 (AAA)
Memory Capacity	: 20
Weight	: 0.1 kg


GLM 80



Capacity

Laser Diode	: 635 nm, <1mW
Measuring Range	: 0.05 - 80 m
Measuring Accuracy	: ± 1.5 mm
Measuring Units	: m/cm, ft/inch
Batteries	: Lithium-Ion
Voltage	: 3.7 V
Weight	: 0.14 kg

GLM 100



Capacity

Laser Diode	: 635 nm, <1mW
Measuring Range	: 0.05 - 100 m
Measuring Accuracy	: ± 1.5 mm
Measuring Units	: m/cm, ft/inch
Batteries	: Lithium-Ion
Voltage	: 3.7 V
Weight	: 0.14 kg

GLM 150 C



Capacity

Laser Diode	: 635 nm, <1mW
Measuring Range	: 0.08 - 150 m
Measuring Accuracy	: ± 1.5 mm
Measuring Units	: m/cm, ft/inch
Batteries	: 3 x 1.5 V LR06 (AA)
Tilt Sensor Range	: 0° - 360°
Weight	: 0.23 kg

Detector

GLM 250 VF



Capacity

Laser Diode	: 635 nm, <1mW
Measuring Range	: 0.05 - 250 m
Measuring Accuracy	: ± 1.0 mm
Measuring Units	: m/cm, ft/inch
Batteries	: 4 x 1.5V LR03 (AAA)
Weight	: 0.24 kg

D-tect 120



Able to Detect PPR* Pipes!

Capacity

Detection Mode	: Universal, Concrete, Drywall
Detection Object	: Ferrous metals, non-ferrous metals, live cables, wooden objects and *water-filled plastic pipes
Max. Detection Depth	: 120 mm
Accuracy	: ± 10 mm
Power Supply	: 4 x 1.5 V LR6(AA)
Weight, approx	: 0.5 kg

GMS 120



Capacity

Max. Measuring Depth	: 120 mm
Live cables	: 50 mm
Wooden beams	: 38 mm
Metal (magnetic)	: 120 mm
Metal (non-magnetic)	: 80 mm
Batteries	: 1 x 9 V 6LR61
Weight	: 0.27 kg

Thermo Detector

GIS 1000 C



Capacity

Resolution of Infrared Sensor	: 635 nm, <1mW
Working Range	: 0.1 - 5 m
Temperature Range	: -40°C to + 1000°C
Measuring Accuracy	: ± 1.0°C (0°C - 100°C)
Batteries	: 4 x 1.5V LR6(AA) / 10.8V or 12V Li-ion Battery
Relative Humidity	: 0 - 100 %
Accuracy	: ± 2 %
Storage Medium	: 200 Images
Weight	: 0.56 kg

Thermo Detector

GTC 400 C



Capacity

Resolution of Infrared Sensor	: 160 x 120
Temperature Range	: - 10°C to + 400°C
Measuring accuracy	: ± 3.0°C
Batteries	: 4 x 1.5V LR6(AA) / 10.8V or 12V Li-ion battery
Weight	: 0.54 kg

GIS 500



Capacity

Laser diode	: 635 nm
Laser Class	: 2
Operating temperature	: - 5°C - 50°C
Storage temperature	: -20°C - -70°C
Batteries	: 2 x 1.5 V LR6(AA)
Weight	: 0.2kg

Line Laser

GCL 2-15 G



Capacity

Laser diode: Line	: 500 - 540 nm, < 10 mW
Point: 630 - 650, < 1 mW	
Working Range	: 15 m
Working range of plumb point	: 10 m (up and down)
Self-leveling range	: ± 4°
Leveling Accuracy	: ± 0.3mm / m
Tripod Mount	: 1/4", 5/8"
Batteries	: 3 x 1.5 V LR6(AA)
Weight	: 0.49 kg



GLL 30 G



Capacity

Laser Diode	: 500 - 540 nm, <5mW
Working Range	: 10 m
Leveling Accuracy	: ± 0.8 mm / m
Self-levelling Range	: ± 4°
Tripod Mount	: 1/4"
Batteries	: 2 x 1.5 V LR6(AA)
Weight	: 0.25 kg



GCL 2-50 CG



Capacity

Laser diode: Line	: 500 - 540 nm, < 10 mW
Point: 630 - 650, < 1 mW	
Working Range	: 20 m (50m with Receiver LR 7)
Working Range of plumb point	: 10 m (up and down)
Leveling Accuracy	: ± 0.3 mm / m
Self-levelling Range	: ± 4°
Tripod Mount	: 1/4"
Batteries	: 4 x 1.5V LR6(AA) / 10.8V or 12V Li-ion battery
Weight	: 0.58 kg

GLL 3-15 X



Capacity

Laser Diode	: 630 - 650 nm, <1mW
Working Range	: 15 m
Working range of plumb point	: 5 m
Leveling Accuracy	: ± 0.2 mm / m
Self-levelling Range	: ± 3°
Tripod Mount	: 5/8" on rotation mount
Batteries	: 4 x 1.5 V LR6(AA)
Weight	: 0.54 kg

Spare Parts

Rotation mount	1 618 C01 11X
----------------	---------------

GLL 5-50 X



Capacity

Working Range	: 15 m
Working Range With Receiver LR 6 / LR 7	: 5 - 50 m
Working range of plumb point	: 5 m
Leveling Accuracy*	: ± 0.2 mm / m
Self-levelling Range	: ± 3°
Tripod Mount	: 5/8" on rotation mount
Batteries	: 4 x 1.5 V LR6(AA)
Weight	: 0.54 kg

Spare Parts

Rotation mount	1 618 C01 11X
----------------	---------------

GLL 3-80



Capacity

Laser Diode	: 630 - 650 nm, <10mW
Working Range	: 30 m
Working Range With Receiver LR 6 / LR 7	: 120 m (diameter)
Leveling Accuracy	: ± 0.2 mm / m
Self-levelling Range	: ± 4°
Tripod Mount	: 1/4" & 5/8"
Plane	: 3
Batteries	: 4 x 1.5 V LR6(AA)
Weight	: 0.82 kg

Point Laser

GLL 3-80 CG



Capacity

Laser Diode	: 500 - 540 nm, <10mW
Working Range	: 30 m
Working Range With Receiver LR 7	: 120 m (diameter)
Leveling Accuracy	: ± 0.2 mm / m
Self-levelling Range	: ± 4°
Batteries	: 4 x 1.5V LR6(AA) / 10.8V or 12V Li-ion battery
Tripod Mount	: 1/4" & 5/8"
Weight	: 0.9 kg

Electronic Line Laser

GPL 5



Capacity

Laser Diode	: 635 nm, <1mW
Working Range	: 30 m
Self-leveling range	: ± 3° / ± 5° lateral / longitudinal
Leveling Accuracy	: ± 0.3 mm
Tripod Mount	: 1/4"
Batteries	: 3 x 1.5 V LR6(AA)
Weight	: 0.25 kg

Electronic Line Laser

GLL 5-40 E



Capacity

Laser Diode	: 635 - 650 nm, <1mW
Working Range	: 15 m
Working Range With Receiver LR 5	: 40 m
Leveling Accuracy	: ± 0.1 mm / m
Self-levelling Range	: ± 3°
Tripod Mount	: 5/8"
Batteries	: 4 x 1.5 V LR6(AA)
Weight	: 1.1 kg

GLL 8-40 E



Capacity

Laser Diode	: 635 - 650 nm, <1mW
Working Range	: 15 m
Working Range With Receiver LR 5	: 40 m
Leveling Accuracy	: ± 0.1 mm / m
Self-levelling Range	: ± 3°
Tripod Mount	: 5/8"
Batteries	: 4 x 1.5 V LR6(AA)
Weight	: 1.1 kg

Combi Laser

GCL 25



Capacity

Laser Diode	: 635 nm, <1mW
Working Range	: 10 m
Levelling Accuracy	: 0,3 mm/m
Self-levelling Range	: ± 4°
Batteries	: 4 x 1.5 V LR06(AA)
Tripod Mount	: 1/4" & 5/8"
Weight	: 0.58 kg

Rotation Laser Level

GRL 300 HVG



Capacity

Laser Diode	: 532 nm, <5mW
Working Range With Receiver LR 1G	: 150 m (radius)
Levelling Accuracy	: ± 0.1 mm / m
Tripod Mount	: 5/8"
Batteries	: 2 x 1.5V LR20(D)
Weight	: 1.8 kg

Angle Measurer

*GAM 220




Capacity

Measurement Range	: 0 - 220°
Electronics Measurement Accuracy, Angles	: ±0.1°
Electronics Measurement Accuracy, Vials	: ±0.05°
Power Supply	: 4 x 1.5V LR6(AA) or 4 x 1.2V HR6(AA)
Weight	: 1.3 kg

Digital Inclinometer

*GIM 60 L



Capacity

Laser Diode	: 650nm, <1mW
Measurement Range	: 0° - 360°
Electronics Measurement Accuracy 0° / 90°	: ±0.05°
Electronics Measurement Accuracy at 1° / 89°	: ±0.1°
Laser Working Range	: 30 m
Laser Accuracy	: ±1mm / m horizontal levelling
Batteries	: 4 x 1.5V LR6(AA) or 4 x 1.2V HR6(AA)
Weight	: 0.9 kg

Tripod

*GIM 60



Capacity

Measurement Range	: 0 - 360° (4x90°)
Electronics Measurement Accuracy 0° / 90°	: ±0.05°
Electronics Measurement Accuracy at 1° / 89°	: ±0.2°
Electronics Measurement Accuracy, Vials	: ±0.057° = ±1 mm/m
Power Supply	: 1 x 9 V 6LR61
Batteries	: 4 x 1.5V LR6(AA) or 4 x 1.2V HR6(AA)
Weight	: 0.77 kg

*GIM 120



Capacity

Measurement Range	: 0 - 360°
Electronics Measurement Accuracy 0° / 90°	: ±0.05°
Electronics Measurement Accuracy at 1° / 89°	: ±0.2°
Electronics Measurement Accuracy, Vials	: ±0.057° = ±1 mm/m
Power Supply	: 4 x 1.5V LR6(AA) or 4 x 1.2V HR6(AA)
Weight	: 1.4 kg

BT 150



Capacity

Work Height	: 55 - 157 cm
Tripod Thread	: 1/4"
Weight	: 1.3 kg

For DLE, GLM, GLL & GPL category

BT 150 (5/8")



Capacity

Work Height	: 52 - 154 cm
Tripod Thread	: 5/8"
Weight	: 1.1 kg

BT 160



Capacity

Work Height	: 97 - 160 cm
Tripod Thread	: 5/8"
Weight	: 4.1 kg

For GRL & GOL category

BT 170 HD



Capacity

Work Height	: 107 - 165 cm
Tripod Thread	: 5/8"
Weight	: 5.5 kg

For GRL & GOL category

*BT 300 HD



Capacity

Work Height	: 122 - 295 cm
Tripod Thread	: 5/8"
Weight	: 7.5 kg

For GCL, GLL & GLM category

Measuring Rail

R 60



Capacity

Comes complete with	: Protective Case, Charger, Manufacturer's Certificate
Measurement Range	: 0 - 360°
Accuracy of inclinometer	: ± 0.2°
Audible Signals	: at 0° and 90°
Dimensions (L/W/H)	: 610 x 58 x 30 mm

For GLM 80

Telescopic Pole

*BT 350



Capacity

Max Height : 140 - 350 cm
Weight : 2.5 kg

For GLL & GPL category

Laser Receiver

LR 6



Capacity

Working Range : 5 - 50 m
Measurement Accuracy, Fine : ± 1 mm
Measurement Accuracy, Rough : ± 3 mm
Compatible with Red Laser : GLL 5-50 X
Power Supply : 2 X 1.5 V LR03 (AAA)
Weight : 0.12 kg

LR 7



Capacity

Working Range : 5 - 50 m
Measurement Accuracy Fine : ± 1 mm
Measurement Accuracy, Rough : ± 3 mm
Compatible with Green and Red Laser
Power supply : 2 x 1.5 V LR6 (AA)
Weight, approx. : 0.15 kg

Rotation Mount

RM 3



Capacity

Working Range (with RC 2) : 20 m
Batteries : 2 x 1.5 V LR03 (AAA)
Weight : 0.46 kg

Universal Holder

BM 1



Capacity

Tripod Thread : 1/4"
Weight : 0.5 kg

For GLL, GPL & GLM category



Note: Items marked '*x*' are on **Indent Order Basis**.

High Pressure Washer

EasyAquatak 100



Capacity

Motor Output	: 1,200 W
Max. Pressure	: 100 bar
Max. Flow Rate	: 300 l/h
Max. Temp	: 40°C
Hose Length	: 3 m PVC
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 3.0 kg

EasyAquatak 110



Capacity

Motor Output	: 1,300 W
Pressure	: 110 bar
Flow Rate	: 330 l/h
Max. Temp	: 40°C
Hose Length	: 3 m PVC
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 3.8 kg

Spare Parts

Trigger	F 016 F05 280
Hose (6m)	F 016 800 360
Extension Hose (6m)	F 016 800 361
Lance	F 016 F05 017
3 in 1 Nozzle	F 016 800 508

EasyAquatak 120



Capacity

Motor Power	: 1,500 W
Pressure	: 120 bar
Flow Rate	: 350 l/h
Max. Temp	: 40°C
Hose Length	: 5 m PVC
Weight	: 5 kg

Spare Parts

Handle	F 016 F05 280
Hose	F 016 800 360
Lance	F 016 F04 462

UniversalAquatak 125



Capacity

Motor Output	: 1,500 W
Pressure	: 125 bar
Flow Rate	: 360 l/h
Max. Temp	: 40°C
Hose Length	: 5 m PVC
Weight	: 6.8 kg

UniversalAquatak 130



Capacity

Motor Output	: 1,700 W
Pressure	: 130 bar
Flow Rate	: 380 l/h
Max. Temp	: 40°C
Hose Length	: 6 m PVC
Weight	: 7.8 kg

AdvancedAquatak 140



Capacity

Motor Output	: 2,100 W
Pressure	: 140 bar
Flow Rate	: 450 l/h
Max. Temp	: 40°C
Hose Length	: 8 m PU
Weight	: 18 kg

AdvancedAquatak 150



Capacity

Motor Power	: 2,200 W
Pressure	: 150 bar
Flow Rate	: 480 l/h
Max. Temp	: 40°C
Hose Length	: 8 m PU
Weight	: 21.1 kg



High Pressure Cleaner

GHP 5-13 C



Capacity

Motor Power	: 2,300 W
Maximum Pressure	: 140 Bar
Maximum Flow Rate	: 520 l/h
Hose Length	: 8 m
Weight	: 16.5 kg

Spare Parts

Handle	F 016 L72 097
Jet Pipe	F 016 L72 098
Hose (9m)	F 016 F04 523

GHP 6-14



Capacity

Motor Power	: 2,600 W
Maximum Pressure	: 150 Bar
Maximum Flow Rate	: 650 l/h
Hose Length	: 10 m
Weight	: 25.6 kg

Spare Parts

Handle	F 016 L72 097
Jet Pipe	F 016 L72 179
Hose (9m)	F 016 F04 523





BOSCH

Bosch 110V Power Tools

Model	Description
GBH 2-23 RE	Rotary Hammer SDS Plus
GBH 2-26 RE	Rotary Hammer SDS Plus
GBH 5-40 D	Rotary Hammer SDS Max
*GBH 8-45 D	Rotary Hammer SDS Max
GBL 800 E	Blower
GCO 2000	Cut Off Saw
*GDM 13-34	Marble Cutter
GDS 18 E	Impact Wrench
GGG 28 LC	Straight Grinder
GHG 20-63 kit	Heat Gun
*GHO 10-82	Planer
*GSA 1100 E	Sabre Saw
GSB 10 RE	Impact Drill, 10 mm Chuck
GSB 16 RE	Impact Drill, 13 mm Chuck
GSH 5 X Plus	Breaker (17 mm Hex Shank)
*GSH 5 CE	Breaker SDS Max
GSH 9 VC	Breaker SDS Max
GSH 11 E	Breaker SDS Max
GSH 11 VC	Breaker SDS Max
GST 65	Jigsaw
GST 25 M	Jigsaw
GWS 6-100	4" Grinder (100+6)
*GWS 11-125 P	5" Grinder Paddle / DMS
GWS 20-180	7" Grinder



BOSCH

Carbon Brush Guidelines Effective 1st January 2017

Model No.			Carbon Brush Part No.	Price (S\$)
GAS 11-21			1 609 203 A00	15.00
GBH 2-20 RE	GHO 10-82	GBS 75 A	1 607 031 222 (replacing 2 604 321 905)	5.50
GBH 2-24 RE / DRE	GBH 2-23 RE	GBH 2-26 RE / DFR	1 617 000 525	8.00
GBH 3-28 DFR	GBH 2-23 REA	GSB 20-2 RE (New)		
GBH 2-26 RE	GBH 2-26 DRE	GBH 2-26 E	1 607 014 116 (replacing 1 607 031 226)	6.00
GBH 36 V-LI			1 617 014 142	9.00
GBH 4-32 DFR			1 614 321 079	12.00
GBH 8-45 D		GSH 9 VC	1 617 000 A50	16.00*
GBH 7-45 DE	GBH 7-46 DE		1 617 014 135	15.90
GBH 24 VRE	GBH 24 V		1 617 014 131	5.50
GBH 2 SR	GBH 2-20 SRE		1 607 031 230 (replacing 1 617 014 127)	6.00
GBH 4 DSC	GBH 4 DFE		1 617 014 124	8.00
GBH 3-28 E			1 617 014 137	12.50
GBH 5 DCE	GSH 5 CE	GSH 4	1 607 031 225 (replacing 1 617 014 122)	12.50
GBL 800	GBL 800 E		1 604 321 129	8.00
GBM 16-2 RE (Old)	GBM 23-2 RE	GGG 6 S	3 607 014 012	24.00
GCM 10 M	GCO 14-24 J / 2000	GCD 12 JL	1 607 014 171 (replacing 1 607 014 154)	10.00
GCM 10 S			1 609 203 L02	15.00
GCM 10 MX			1 619 PA7 057	26.50
GCM 10			1 619 P04 451	20.00
			1 619 PA4 025	3.10
GDM 13-34			1 619 P06 304	5.00
GDS 18 E			1 619 PA2 438	11.00
GDR 14.4 V-LI	GDX 18 V-LI	GDS 18 V-LI	2 609 199 169	9.50
GEX 125-1 AE	GSS 230		2 609 120 199	9.65
GGG 28 C / LC	GPO 12 CE		1 607 014 176 (replacing 1 607 014 172)	7.00
GGG 3000 L	GWS 6-100	GWS 060	1 607 031 223 (replacing 1 607 014 145)	2.80
GGG 5000 L	GWS 750-100			
GKS 7000			1 619 P10 063	6.00
GKS 190 (New)			1 619 P06 346	9.90
GKS 190 (Old)			1 619 P01 317	8.20
GMR 1			2 609 120 149	9.70
GSA 1100 E			2 610 956 917	5.00
GSB 16 RE (Old) (700W)			2 604 337 059 C/W B. Holder	9.00
GSB 16 RE (New) (750W)	GBM 10 RE / 13 RE	GSB 10 RE / 13 RE	2 610 391 290 (replacing 2 604 321 917)	6.50*
GSB 16 RE (Oldest)	GBM 13 HRE	GSB 20-2	1 607 031 222 (replacing 2 604 321 905)	5.50
GSG 300			1 607 014 17J (replacing 2 604 320 911)	8.00
GSH 11 E	GSH 16-30		1 617 014 126	10.00
GSH 388 / X	GBH 5-38 D	GSH 5	1 617 014 138	10.00*
GSH 5 X	GBH 5-40 D	GSH 5 CE		
GSR 36 V-LI			2 607 034 904	11.00
GST 80 PBE	GGG 27	GGG 27 L	1 607 031 228 (replacing 2 604 320 912)	6.20
GST 25 M	GST 60 PBE	GNA 2.0		
GST 54			1 607 031 239 (replacing 2 604 321 904)	6.20
GST 65			2 604 321 919	6.00
GWS 7-100	GWS 7-100 T / ET	GPO 250 CE	1 619 P02 870	2.80
		GWS 11-125 CI	1 607 014 176 (replacing 1 607 014 172)	7.00
	GWS 13-125 CI	GWS 15-150 CI	1 607 000 V37	7.50*
GWS 20-180	GWS 20-230	GCO 200	1 607 014 171 (replacing 1 607 014 154)	10.00
			DREMEL	
3000	300		2 615 298 790	6.30

* Price reduction.

Prices correct at time of printing and Bosch reserves the right to amend at its sole discretion without prior notice.



WARRANTY

This serves to inform all Bosch Power Tools are guaranteed against manufacturing defects for a period of 6 months from the registered date of purchase (**Bosch Measuring Tools, GHP Range High Pressure Cleaners and HEAVY DUTY Range Power Tools are entitled to 1 Year Warranty, except Bosch Hot Air Guns, Bosch Batteries and Bosch Chargers which are entitled to 6 months warranty. Terms and Conditions apply**).

This guarantee, however, does not cover damage caused by accident, misuse, unauthorised repairs, tampering, additions and modifications made to the tool in any manner.

保证

谨此通知阁下有关所有博世电动工具享有为期六个月之生产损坏保证，有效期从购买登记日算起。(博世电子测量器，博世 GHP 高压清洗机系列及博世 HEAVY DUTY 系列享有1年保证，除了博世热风机，博世电池和博世充电器享有6个月保证。附带条款)。

无论如何，上述保证并不包括有关电动工具因意外，错误使用、非授权维修、附加及修换或其他方式所造成的损坏及故障。



For further enquiries, please call **1 800 333 8 333**
 Mon - Fri 8.30am - 5.30pm
www.bosch-pt.com.sg

Key To Symbols

	Double Insulation		Electronic Control		Rotation Stop		Constant Electronic		Forward / Reverse Rotation		Overload Clutch		Distortion-resistant protective guard
	Spindle Lock		Saw Blade Pendulum Action		Dust Extraction		Bosch SDS System		SDS-Plus Tool Holder		Slim Grip		Lithium-Ion Technology
	SDS-Max Tool Holder		SDS-Plus Quick Exchange System		SDS-Max Quick Exchange System		SDS-Clic Quick Clamping System		Velcro Fastening		Inox For a perfect finish on stainless steel		Easy Fit
	Turbo Blower		Removable Cable		Torque Control		Restart Protection		Fine Depth Adjustment		Direct Cooling and Additional Air Inlets		Kick Back Stop
	Brushless Motor		Woodrazor		Turbo Power		Vibration Control		Auto-Lock		Laser Class 2		Laser Class 3R

While all care has been taken to ensure that the information contained in this publication is correct, no responsibility can be accepted for any inaccuracy. The Company reserves the right to alter or modify the information contained herein at any time in light of technical or other developments. Technical specifications are valid under normal operating condition only. The company does not accept any responsibility for any misuse of the product and cannot be held liable for consequential damage.

**HEAVY
DUTY**

**1 year
warranty***

Full Warranty#!

Includes Wear & Tear Parts!

www.bosch-pt.com.sg

FREE Repair Costs!!



Robert Bosch (SEA) Pte Ltd

11 Bishan Street 21
Singapore 573943
Tel: (65) 6571 2772
Fax: (65) 6571 2784

For further enquiries, please contact

 **1 800 333 8 333**

Mon - Fri: 8.30am - 5.30pm

Authorised Service Centre:

Powerwell Service Centre Pte Ltd

4012 Ang Mo Kio Ave 10,
#01-02 Techplace 1, Singapore 569628
Tel: (65) 6452 1770 Fax: (65) 6452 1760
Email: ask@powerwellsc.com

* Bosch Heavy Duty Power Tools are entitled to 1-year warranty, except for hot air guns, batteries and chargers which are entitled to 6-months warranty.

Terms and Conditions apply.

Bosch reserves the right to amend the terms and conditions or withdraw the promotion at its sole discretion without prior notice.